

PRODUCT-DETAILS

5518G-A03459 B1

Socket Outlets Without imprint white - Swing



General Information	
Extended Product Type	5518G-A03459 B1
Product ID	2CHG183459A4520
EAN	8595017216466
Catalog Description	Socket Outlets Without imprint white - Swing
Long Description	Screw-type terminals. Fixation via screws or claws. IP 40 16 A, 250 V AC

Installation	
Instructions and	No document needed
Manuals	
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Claw
	Mounting with Screw
	Mounting with Screw
Environmental	
Degree of Protection	IP20
	IFZC

© 2024 ABB. All rights reserved.

Subject to change without notice

Technical	
Data Sheet, Technical Information	No document needed
Number of Phases	1
Number of Active Pin Terminals	0
Number of Gangs	1
Connection Type	Screw
Socket Outlet Type	Protective Contact (SCHUKO)
Battery Weight	0 g
Number of Batteries	0

Electrical	
Short-Circuit Current Rating (SCCR)	0 A
Rated Voltage (U _r)	250 V
Rated Current (In)	16 A
Frequency (f)	5050 Hz

Design	
Design Range	Swing
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Legend	Without imprint
Label Space Provided	No
Color	white

Dimensions	
Product Net Weight	72.3 g
Built-In Depth (t ₂)	40 mm

Ordering	
Replaced Product ID (OLD)	5518G-A03459 B1

Material Compliance	
RoHS Information	2CHC663076X0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CHC663076X0201
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20221103
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

© 2024 ABB. All rights reserved.

2024/10/17

Certificates and Declarations

Declaration of Conformity - CE No declaration needed

Classifications	
ETIM 9	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems \rightarrow Wiring Accessories - Light Switch Ranges \rightarrow Cover Plates and Control Elements \rightarrow Socket Outlets

