20 MUCB2USB-92-507 1/3



PRODUCT-DETAILS

## 20 MUCB2USB-92-507

# Socket with USB AA white - Basic55



General Information	
Extended Product Type	20 MUCB2USB-92-507
Product ID	2CKA002017A1898
EAN	4011395304075
Catalog Description	Socket with USB AA white - Basic55
Long Description	For connecting electric loads. DP (2 P + E) With screwless terminals. For supply and support of mobile devices via USB-cable. With two USB type A outputs. Simultaneous charging via USB connection and use of the SCHUKO® socket outlet. Support of loading protocol on the USB-A connection: Apple MFI with 2.4 A and BC 1.2 with 1.5 A. With electronic short-circuit protection. With electronic overload protection. Suitable for the countries: Belgium, Poland, Czech Republic.

Installation	
Instructions and Manuals	No document needed
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Claw Mounting with Screw

20 MUCB2USB-92-507 2/3

Environmental	
Ambient Air	Operation 5 +35 °C
Temperature	
Degree of Protection	IP20

Technical	
Data Sheet, Technical Information	No document needed
Function	USB
Number of Poles	2+PE
Number of Phases	1
Number of Outputs	2
Number of Gangs	1
Connection Type	Plug Clamp
Socket Outlet Type	Earthing Pin
Terminal Type	Screwless Terminals

Electrical	
Short-Circuit Current Rating (SCCR)	0 kA
Rated Voltage (U <sub>r</sub> )	230 V
Secondary Voltage	5 V
Rated Current (In)	16 A
Rated Frequency (f)	50 / 60 Hz
Load Type	Earth pin socket
Power Loss	0.075 W

Design	
Design Range	Basic55
Surface Finishing	Untreated Glossy
Material	Thermoplastic
Label Space Provided	No
RAL Number	Similar to RAL 1013
Color	white

Dimensions	
Product Net Width	71 mm
Product Net Height	71 mm
Product Net Depth / Length	60 mm
Product Net Weight	114 g
Built-In Depth (t <sub>2</sub> )	39.5 mm

Material Compliance	
RoHS Status	No declaration needed
REACH Declaration	2CKA309999E9999

20 MUCB2USB-92-507 3/3

REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20230825
Conflict Minerals	9AKK108468A3363
Reporting Template	
(CMRT)	

#### **Certificates and Declarations**

Declaration of	2CKA100000E4453
Conformity - CE	

#### Classifications

ETIM 9	EC000125 - Socket outlet
eClass	V11.0 : 27144042
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

### Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Socket\ Outlets$ 

