





---

 PRODUCT-DETAILS

# 6197/45

## 6197/45 DALI Gateway, Basic, 1-fold, MDRC, BJE

For sale but "Obsolete", replaced by




---

### General Information

Extended Product Type	6197/45
Product ID	2CKA006197A0042
EAN	4011395218761
Catalog Description	6197/45 DALI Gateway, Basic, 1-fold, MDRC, BJE

Long Description	<p>For activating DALI participants via KNX. One DALI output for a maximum of 64 DALI participants. Integrated DALI power supply. The activation per DALI participant can be carried out via lamp groups (16) jointly in broadcast or via scenes (16). Extensive error and fault messages are available. DALI emergency light converters according to EN 62386-202 are supported. A function test and a continuous test can be triggered via the emergency light converter and the result made available on the KNX. Integrated slave, staircase light, disabling and forced operation function. Adjustable DALI telegram rate. For individual readdressing of DALI participants or group assignment a separate diagnostics and commissioning tool is available.</p>
------------------	--

---

### Installation

Instructions and Manuals	2CKA000073B8864
Mounting Type	DIN-Rail

---

## Environmental

Degree of Protection	IP20
----------------------	------

---



---

## Technical

Data Sheet, Technical Information	2CDC507164D0101
Communication Interface	DALI
Number of Outputs	1
Number of LEDs	1
Compatible Bus Systems	DALI KNX (TP)
Product Range	KNX
Software Updateable	Yes
Integrated Webserver	No
Manual Operation	Yes
Number of Batteries	0

---



---

## Electrical

Auxiliary Voltage AC/DC	110 ... 230 V AC
Input Voltage ( $U_{in}$ )	85 ... 264 V AC

---



---

## Design

Color	light grey
-------	------------

---



---

## Dimensions

Width in Number of Modular Spacings	4.0
Product Net Width	63.5 mm
Product Net Height	90 mm
Product Net Depth / Length	70 mm
Product Net Weight	0.133 kg

---



---

## Ordering

Replacement Product ID (NEW)	2CDG110198R0011
------------------------------	-----------------

---



---

## Material Compliance

RoHS Information	9AKK104295D8727
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20231212

---

Conflict Minerals  
Reporting Template  
(CMRT)

9AKK108468A3363

### Certificates and Declarations

Declaration of  
Conformity - CE

2CKA100000E0599

### Classifications

ETIM 9	EC001099 - System interface/media gateway for bus system
eClass	V11.0 : 27143136
UNSPSC	43222605
IDEA Granular Category Code (IGCC)	6809 >> System interface/media gateway for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

### Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → Lighting Control → DALI Gateways and Light Controllers

