



 PRODUCT-DETAILS

6419 U

Flush Mounted Inserts 230 V



General Information

Extended Product Type	6419 U
Product ID	2CKA006410A0390
EAN	4011395126226
Catalog Description	Flush Mounted Inserts 230 V
Long Description	For the manual and automatic control of roller blinds. The roller blind moves to the position set using the turn knob. Executes the individually programmed switching commands (UP/DOWN) in a 24-hour rhythm. Suitable for roller blind drives with mechanical or electronic limit switch shut-off. Suitable for operation without neutral conductor. Without an extension input. Power reserve of 45 minutes (maintenance-free as capacitor).

Installation

Instructions and Manuals	DEBJE-b_273_1_7335_6419
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Screw

Environmental

Degree of Protection	IP20
----------------------	------

Technical

Number of Outputs	2
-------------------	---

Electrical

Rated Voltage (U _r)	230 V
Auxiliary Voltage AC/DC	230 V AC/DC
Rated Frequency (f)	50 Hz
Maximum Switching Power	300 W

Design

Surface Finishing	Untreated Glossy
Material	Thermoplastic
Color	black

Dimensions

Product Net Weight	83 g
--------------------	------

Material Compliance

RoHS Information	9AKK104295D8727
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
REACH Declaration	2CKA309999E9999

Certificates and Declarations

Declaration of Conformity - CE	2CKA100000E1584
--------------------------------	-----------------

Classifications

ETIM 9	EC000615 - Venetian blind control unit
eClass	V11.0 : 27144027
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Flush Mounted Inserts → Electronic Inserts

