




 PRODUCT-DETAILS

6731-212

WaveLine Wall sensor 1gang 1 channel Wireless white - Busch-Duro 2000 SI



General Information

Extended Product Type	6731-212
Product ID	2CKA006730A0044
EAN	4011395149836
Catalog Description	WaveLine Wall sensor 1gang 1 channel Wireless white - Busch-Duro 2000 SI
Long Description	1gang wall-mounted transmitter independent of mains power supply. For switching and dimming. For controlling blinds and light scenes. 1 radio channel can be operated or up to 2 light scenes can be called up. For flush-mounted WaveLINE actuators 6701-101, 6702, 6703, 6704 and 6705-101. For LED display WaveLINE 6730-xxx. Compatible with WaveLINE KNX gateway TP-RF 6770. Send frequency: 868 MHz. Free-field range: approx. 100 m. Power supply: lithium button cell battery Type CR2032. Battery service life: typically 5 years, therefore practically maintenance-free. Automatic monitoring of battery life. Including fixing plate for mounting on smooth walls or on switch boxes.

Installation

Instructions and Manuals	2CKA000073B7534
Mounting Type	Surface Mounted
Mounting Position	Wall

Environmental

Ambient Air Temperature	Operation -5 ... +45 °C
Degree of Protection	IP20

Technical

Data Sheet, Technical Information	No document needed
Number of Channels	1
Number of Gangs	1
Compatible Bus Systems	WaveLINE
Product Range	WaveLINE
Transmission Standard	Wireless
Battery Chemical Composition	Lithium
Battery Size	CR2032
Battery Type	Button Cell
Battery Weight	3 g
Number of Batteries	1

Electrical

Rated Voltage (U _r)	3 V
Auxiliary Voltage AC/DC	3 V AC/DC

Design

Design Range	Busch-Duro 2000 SI
Design Range Variant	Busch-Duro 2000 SI Busch-Duro 2000 SI Linear
Surface Finishing	Untreated Glossy
Material	Thermoplastic
RAL Number	Similar to RAL 1013
Color	white

Dimensions

Product Net Width	54 mm
Product Net Height	54 mm
Product Net Depth / Length	15.6 mm
Product Net Weight	0.066 kg

Material Compliance

RoHS Information	2CKA200000E6229
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CKA309999E9999
REACH Information	False - does not contain substances > 0.1 mass percentage

REACH Date	20230825
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Certificates and Declarations

Declaration of Conformity - CE	2CKA100000E0665
--------------------------------	-----------------

Classifications

ETIM 9	EC000257 - Transmitter/Remote control for domestic switching devices
eClass	V11.0 : 27144039
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CKA006700A0027	WaveLine Switch Actuator Wireless with ON/OFF switching, timer and light scene control WaveLINE 230 V	6702	1	piece
2CKA006700A0028	WaveLine Switch Actuator Wireless with ON/OFF / venetian blind switching and lightscene control WaveLINE 230 V	6703	1	piece
2CKA006700A0029	WaveLine Universal dimming actuator Wireless with ON/OFF switching, dimming and lightscene control WaveLINE 230 V	6704	1	piece

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Electronic Controls

