



---

PRODUCT-DETAILS

## **N2285.1 AP**

### USB charger Anthracite Polished - Zenit BS



Product image  
not available

---

#### **General Information**

---

Extended Product Type	N2285.1 AP
Product ID	2CLA228510B1001
EAN	8427238258713
Catalog Description	USB charger Anthracite Polished - Zenit BS USB charger Type A+C 18W 250 Vac / 50-60 Hz.  USB charger (Type C): Max. Power output: 18W. Output voltage: 5 ... 9 Vdc. Output current: 3 ... 1,5 A.  Charging Protocols: PD 3.0: Yes QC 4: Yes BC1.2: Yes MFI: Yes  USB charger (Type A): Max Power output: 10,5 W. Output voltage: 5 Vdc Output current: 2,1 A.
Long Description	
Combine with frame window 44x44 – Multi.	

## Installation

Instructions and Manuals	2CLX228529N1001
Mounting Type	Flush Mounted
Type of Fastening	Engage (Snap)

## Environmental

Ambient Air Temperature	Storage -5 ... +35 °C Storage Operation;-5 ... +50 °C
Degree of Protection	IP20

## Technical

Data Sheet, Technical Information	2CLX228529N1001
Illumination	Non-illuminated
Number of Batteries	0

## Electrical

Rated Voltage (U <sub>r</sub> )	250 V
---------------------------------	-------

## Design

Design Range	Zenit BS
Surface Finishing	Untreated, Glossy
Material	Plastic, Thermoplastic
Label Space Provided	Yes
Color	Anthracite Polished

---

### Dimensions

---

Product Net Width	44 mm
Product Net Height	44 mm
Product Net Depth / Length	32 mm
Product Net Weight	0.089 kg

---

---

### Material Compliance

---

REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

---

---

### Certificates and Declarations

---

Declaration of Conformity - CE	9AKK108469A1211
--------------------------------	-----------------

---

---

### Classifications

---

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

---

---

### Categories

---

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Socket Outlets



Product image not available