



 PRODUCT-DETAILS

SRL-2-R-85BL

SRL-2-R-85BL - Cover plate - free@home / KNX 2-gang sensors - Switch - Right - Soft White



General Information

Extended Product Type	SRL-2-R-85BL
Product ID	2CLA852648A1101
EAN	8427238145136
Catalog Description	SRL-2-R-85BL - Cover plate - free@home / KNX 2-gang sensors - Switch - Right - Soft White
Long Description	<p>Color: Soft White. Cover plate for free@home sensors and sensor/actuators with 2-gang sensors code: SU-F-2.0.1, SSA-F-2.1.1, SSA-F-2.2.1, SDA-F-2.1.1, SBA-F-2.1.1, SU-F-2.0.1-WL, SSA-F-2.1.1-WL, SSA-F-2.2.1-WL, SDA-F-2.1.1-WL, SBA-F-2.1.1-WL. Cover plate for KNX 2-gang sensors code: 6108/07-500. With Light symbol. Suitable for the right gang.</p>

Installation

Instructions and Manuals	2CLX850009A1001
Type of Fastening	Clamp

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Technical

Data Sheet, Technical Information	9AKK107046A0356
Application	Switch/push button
Product Range	free@home

Design

Design Range	Sky Niessen
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Legend	Symbol "light"
RAL Number	RAL 9010 - Pure White
Color	White

Dimensions

Product Net Width	0.073 m
Product Net Height	0.033 m
Product Net Depth / Length	0.073 m
Product Net Weight	0.017 kg

Material Compliance

RoHS Information	2CLC852648A1101
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20230816
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Popular Downloads

Marketing Video	9AKK106930A1594 9AKK108468A9590
-----------------	------------------------------------

Classifications

ETIM 9	EC000011 - Control element/cover plate for domestic switching devices
UNSPSC	39121704

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → free@home → User Operation → 2-fold

