

PRODUCT-DETAILS

8531.1 NE RF switch - Sky Niessen



General Information	
Extended Product Type	8531.1 NE
Product ID	2CLA853110A1701
EAN	8427238278681
Catalog Description	RF switch - Sky Niessen
Long Description	Color: Soft White. 1-gang wall-mounted transmitter independent of mains power supply. For switching and dimming. For controlling blinds and light scenes. 1 radio channel can be operated or up to 2 light scenes can be called up. For wireless pill type actuators: 8130.4, 8130.5, 8130.7 & 8130.6. Send frequency: 868 MHz. Free-field range: approx. 100 m. Power supply: lithium button cell battery Type CR2032. Battery service life: typically 5 years, therefore practically maintenance-free. Rated voltage: 3 Vdc. Automatic monitoring of battery life. Including fixing plate for mounting on smooth walls or on switch boxes. Control element: Switch contacts top/bottom. Display elements: LED to indicate the transmission. Temperature range (Device): -5 °C to 45 °C. Battery included in delivery.

Installation	
Instructions and Manuals	2CLX850009A100
Technical	
Data Sheet, Technical Information	9AKK107046A035
Design	
Design Range	Sky Niesse
Material Compliance	
RoHS Information	2CLC853000A150
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201
REACH Declaration	9AKK108467A746
Conflict Minerals Reporting Template (CMRT)	9AKK108468A336
Certificates and Declarations	No destantion reads
Declaration of Conformity - CE	No declaration neede
Classifications	
ETIM 9	EC000257 - Transmitter/Remote control for domestic switching device
UNSPSC	3912170
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm
WEEE B2C / B2B	Business To Consume

Categories

Low Voltage Products and Systems \rightarrow Wiring Accessories - Light Switch Ranges \rightarrow Cover Plates and Control Elements \rightarrow Electronic Controls



3/3