



PRODUCT-DETAILS

TH212G

Floor-standing cabinet, Rows: 12, 1850 mm x 550 mm x 225 mm, Grounded (Class I), IP44



General Information	
Extended Product Type	TH212G
Product ID	2CPX010950R9999
EAN	4011617109501
Catalog Description	Floor-standing cabinet, Rows: 12, 1850 mm x 550 mm x 225 mm, Grounded (Class I), IP44
Long Description	Floor-standing cabinet, series TwinLine, empty cabinet, for the internal use, with Door, class of protection I (earthed), degree of protection IP44, applicable standards: EN 61439-1, Impact strength IK08, Powder-coated, in RAL 7035, enclosure out of sheet steel, single-leaf door, door out of sheet steel, with Standard locking mechanism double bit, door opening angle 180 degree, door hinge right or left, rear wall out of sheet steel, cable entry on top via flange opening pre-cut, on bottom via flange opening pre-punched, dimensions in mm (H x W x D): 1850 x 550 x 225, Grid unit 12 GU, Overall height 8, panel width 2, Space units 288, pre-assembled for installation of modules and CombiLine Modules

Technical	
Power Loss	Δt = 20K 113 W Δt = 25K 149.2 W Δt = 30K 187.2 W

Number of Flange Openings	2
Number of Conduit Inlets	104
Number of Rows	12
Configuration Type	pre-assembled for installation of modules and CombiLine Modules
Cover Plate Type	None
Enclosure Type	Floor-standing cabinet
Enclosure Type of Height	8
Mounting Type	Floor installation
Door Type	Single
Surface Finishing	Powder-coated
Housing Material	Steel plate/plastic
Cover Style	with Notch
DIN Place Units	288
RAL Number	RAL 7035 - Light Grey
Color	Light grey

Material Compliance

RoHS Information	2CPC100021X0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240903
REACH Declaration	2CPC100005X0201
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240902
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	a9384434-706f-4938-bb0f-956739599fbf Germany (DE)

Environmental

Degree of Protection	IP44
Protection Class	Grounded (Class I)

Dimensions

Width in Number of Modular Spacings	24
Product Net Width	550 mm
Product Net Height	1850 mm
Product Net Depth / Length	225 mm
Section Width	2
Product Net Weight	42.55 kg
Built-In Depth (t ₂)	170 mm
Thickness	Cabinet Plate 1 mm Door Plate 1 mm
Dimension Diagram	2CPC000021D0201

Ordering

Package Level 1 Units	pack 1 piece
Package Level 1 Gross Weight	44.252 kg

Certificates and Declarations

Declaration of Conformity - CE	2CPC100021X0201
--------------------------------	-----------------

Installation

Instructions and Manuals	2CPC129922M5601
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	2CPC000001C0101 2CPC000002C0101
Building Information Modeling – BIM	9AKK107046A7921

Classifications

ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet
WEEE Category	Product Not in WEEE Scope
CN8	85381000
eClass	V11.0 : 27142408
Object Classification Code	U

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CPX010450R9999	Flange, 147 mm x 223 mm x 20 mm	TZ101	1	piece
2CPX010452R9999	Flange, 147 mm x 223 mm x 20 mm	TZ102	1	piece
2CPX010454R9999	Flange, 147 mm x 223 mm x 20 mm	TZ103	1	piece
2CPX010456R9999	Flange, 147 mm x 223 mm x 20 mm	TZ104	1	piece
2CPX010457R9999	Flange, 147 mm x 223 mm x 20 mm	TZ105	1	piece
2CPX010458R9999	Flange, 147 mm x 223 mm x 15 mm	TZ106	1	piece
2CPX010460R9999	Flange, 147 mm x 223 mm x 20 mm	TZ107	1	piece
2CPX010850R9999	Flange, 147 mm x 223 mm x 20 mm	TZ110	1	piece
2CPX010851R9999	Flange, 147 mm x 223 mm x 20 mm	TZ111	1	piece
2CPX010852R9999	Flange, 147 mm x 223 mm x 20 mm	TZ112	1	piece
2CPX010487R9999	Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ503	1	piece
2CPX010488R9999	Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ504	1	piece
2CPX010489R9999	Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ505	1	piece
2CPX010490R9999	Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ506	1	piece

2CPX010494R9999	Enclosure accessories, 160 mm x 35 mm x 45 mm	TZ510	1	piece
2CPX010673R9999	Enclosure accessories, 500 mm x 100 mm x 30 mm	TZ618	1	piece
2CPX010674R9999	Enclosure accessories, 800 mm x 100 mm x 30 mm	TZ619	1	piece
2CPX038233R9999	Enclosure accessories, 297 mm x 148 mm x 3 mm	ZA13	1	piece
2CPX038228R9999	Enclosure accessories, 210 mm x 148 mm x 3 mm	ZA5	1	piece
2CPX038227R9999	Enclosure accessories, 297 mm x 210 mm x 3 mm	ZA6	1	piece
2CPX038001R9999	Enclosure accessories, 15 mm x 400 mm x 15 mm	ZL8	1	piece
2CPX010573R9999	Plinth, 50 mm x 550 mm x 203.5 mm	TZG205	1	piece
2CPX010574R9999	Plinth, 100 mm x 550 mm x 203.5 mm	TZG210	1	piece
2CPX010474R9999	Cable support rails, 35 mm x 500 mm x 19 mm	TZ322	1	piece
2CPX010510R9999	Enclosure accessories, 105 mm x 35 mm x 35 mm	TZ615P4	1	piece
2CPX010511R9999	Enclosure accessories, 30 mm x 20 mm x 100 mm	TZ616	1	piece
2CPX010799R9999	Enclosure accessories, 30 mm x 20 mm x 100 mm	TZ616A	1	piece
2CPX010999R9999	Enclosure accessories, 30 mm x 20 mm x 100 mm	TZ634A	1	piece
2CPX011000R9999	Enclosure accessories, 30 mm x 20 mm x 100 mm	TZ634	1	piece
2CPX062381R9999	Enclosure accessories, 297 mm x 210 mm x 3 mm	ZA13P10	1	piece
2CPX062382R9999	Enclosure accessories, 210 mm x 148 mm x 3 mm	ZA5P10	1	piece
2CPX062375R9999	Enclosure accessories, 297 mm x 210 mm x 3 mm	ZA61P10	1	piece
2CPX062380R9999	Enclosure accessories, 297 mm x 210 mm x 3 mm	ZA6P10	1	piece
2CPX060490R9999	Enclosure accessories, 30 mm x 30 mm x 30 mm	ZH130	1	piece
2CPX060491R9999	Enclosure accessories, 16 mm x 16 mm x 18 mm	ZH131	1	piece
2CPX060492R9999	Enclosure accessories, 25 mm x 25 mm x 35 mm	ZH132	1	piece
2CPX060493R9999	Enclosure accessories, 25 mm x 25 mm x 45 mm	ZH133	1	piece
2CPX060494R9999	Enclosure accessories, 15 mm x 15 mm x 20 mm	ZH134	1	piece
2CPX060495R9999	Enclosure accessories, 15 mm x 15 mm x 25 mm	ZH135	1	piece
2CPX060496R9999	Enclosure accessories, 15 mm x 15 mm x 20 mm	ZH136	1	piece
2CPX060497R9999	Enclosure accessories, 20 mm x 20 mm x 30 mm	ZH137	1	piece
2CPX060502R9999	Enclosure accessories, 15 mm x 30 mm x 35 mm	ZH142	1	piece
2CPX060657R9999	Enclosure accessories, 50 mm x 80 mm x 15 mm	ZH157	1	piece
2CPX060658R9999	Enclosure accessories, 50 mm x 80 mm x 15 mm	ZH158	1	piece
2CPX060660R9999	Enclosure accessories, 50 mm x 80 mm x 15 mm	ZH160	1	piece
2CPX060661R9999	Enclosure accessories, 50 mm x 80 mm x 15 mm	ZH161	1	piece

2CPX060662R9999	Enclosure accessories, 50 mm x 80 mm x 15 mm	ZH162	1	piece
2CPX060663R9999	Enclosure accessories, 50 mm x 80 mm x 15 mm	ZH163	1	piece
2CPX060664R9999	Enclosure accessories, 50 mm x 80 mm x 15 mm	ZH164	1	piece
2CPX060665R9999	Enclosure accessories, 50 mm x 80 mm x 15 mm	ZH165	1	piece
2CPX066091R9999	Enclosure accessories, 75 mm x 75 mm x 15 mm	ZH91	1	piece
2CPX010451R9999	Flange, 147 mm x 223 mm x 20 mm	TZ101P10	1	piece
2CPX010826R9999	Flange, 147 mm x 223 mm x 20 mm	TZ101P100	1	piece
2CPX010453R9999	Flange, 147 mm x 223 mm x 20 mm	TZ102P10	1	piece
2CPX010455R9999	Flange, 147 mm x 223 mm x 20 mm	TZ103P10	1	piece
2CPX010932R9999	Flange, 147 mm x 223 mm x 20 mm	TZ104P10	1	piece
2CPX010933R9999	Flange, 147 mm x 223 mm x 20 mm	TZ105P10	1	piece
2CPX010459R9999	Flange, 147 mm x 223 mm x 15 mm	TZ106P10	1	piece
2CPX010461R9999	Flange, 147 mm x 223 mm x 20 mm	TZ107P10	1	piece
2CPX010934R9999	Flange, 147 mm x 223 mm x 20 mm	TZ110P10	1	piece
2CPX010935R9999	Flange, 147 mm x 223 mm x 20 mm	TZ111P10	1	piece
2CPX046613R9999	Flange, 75 mm x 75 mm x 68 mm	RZF10	1	piece
2CPX046612R9999	Flange, 58 mm x 58 mm x 54 mm	RZF9	1	piece
2CPX010782R9999	Enclosure accessories, 30 mm x 65 mm x 45 mm	TZ604	1	piece
2CPX010790R9999	Enclosure accessories, 30 mm x 65 mm x 45 mm	TZ604A	1	piece
2CPX010820R9999	Enclosure accessories, 30 mm x 65 mm x 45 mm	TZ604P10	1	piece
2CPX010821R9999	Enclosure accessories, 30 mm x 65 mm x 45 mm	TZ604P100	1	piece
2CPX010783R9999	Enclosure accessories, 30 mm x 40 mm x 45 mm	TZ605	1	piece
2CPX010791R9999	Enclosure accessories, 30 mm x 40 mm x 45 mm	TZ605A	1	piece
2CPX010822R9999	Enclosure accessories, 30 mm x 40 mm x 45 mm	TZ605P10	1	piece
2CPX010823R9999	Enclosure accessories, 30 mm x 40 mm x 45 mm	TZ605P100	1	piece
2CPX010784R9999	Enclosure accessories, 20 mm x 80 mm x 20 mm	TZ606	1	piece
2CPX010792R9999	Enclosure accessories, 20 mm x 80 mm x 20 mm	TZ606A	1	piece
2CPX010824R9999	Enclosure accessories, 30 mm x 80 mm x 20 mm	TZ606P10	1	piece
2CPX010825R9999	Enclosure accessories, 30 mm x 80 mm x 20 mm	TZ606P100	1	piece
2CPX010972R9999	Enclosure accessories, 28 mm x 30 mm x 350 mm, Isolated (Class II), IP20	TZ650	1	piece
2CPX010800R9999	Enclosure accessories, 500 mm x 100 mm x 30 mm	TZ618A	1	piece
2CPX010801R9999	Enclosure accessories, 800 mm x 100 mm x 30 mm	TZ619A	1	piece
2CPX062335R9999	Interior fitting system, 33 mm x 38 mm x 16 mm	ED44P10	1	piece
2CPX062703R9999	Interior fitting system, 33 mm x 38 mm x 16 mm	ED44P1000	1	piece
2CPX062308R9999	Interior fitting system, 33 mm x 38 mm x 16 mm	ED44P50	1	piece
2CPX062336R9999	Interior fitting system, 55 mm x 47 mm x 16 mm	ED45P10	1	piece

2CPX062704R9999	Interior fitting system, 55 mm x 47 mm x 16 mm	ED45P1000	1	piece
2CPX062310R9999	Interior fitting system, 55 mm x 47 mm x 16 mm	ED45P50	1	piece
2CPX062384R9999	Enclosure accessories, 55 mm x 215 mm	ZA1P5	1	piece
2CPX062378R9999	Enclosure accessories, 55 mm x 215 mm	ZA1P50	1	piece

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards → TwinLine N 44 - Welded

