2CSYK1206S 1/3



PRODUCT-DETAILS

## 2CSYK1206S

## 2CSYK1206S Dimmer 1...10V 1 channel, 1 switch rocker, black



General Information	
Extended Product Type	2CSYK1206S
Product ID	2CSYK1206S
EAN	8012542150954
Catalog Description	2CSYK1206S Dimmer 110V 1 channel, 1 switch rocker, black
Long Description	Device equipped with 1/10V dimmer with rocker switch. Suitable for loads with ballast adjustment. Equipped with LED for load functional signaling. Flush-mounted installation.

Installation	
Instructions and Manuals	2CSN600015D0201
Mounting Type	Flush Mounted

Environmental	
Degree of Protection	IP20

2CSYK1206S 2/3

Technical	
Data Sheet, Technical Information	2CSN600015D020
Voltage Rating	200250 V
Number of Outputs	
Number of Batteries	
Electrical	
Rated Operational Voltage	200250 V
Operational Voltage	200250 V
Maximum Control Current DC	0 mA
Frequency (f)	4852 Hz
Rated Frequency (f)	4852 Hz
Load Type	Universal
Design	
Design Range	Mylos
	Mylos
Design Range  Dimensions  Width in Number of	
Design Range  Dimensions  Width in Number of Modular Spacings	a
Design Range  Dimensions  Width in Number of	2 43 mm
Design Range  Dimensions  Width in Number of Modular Spacings  Product Net Width  Product Net Height  Product Net Depth /	43 mm 44 mm
Design Range  Dimensions  Width in Number of Modular Spacings  Product Net Width  Product Net Height  Product Net Depth / Length	43 mm 44 mm 44 mm
Design Range  Dimensions  Width in Number of Modular Spacings  Product Net Width	43 mm 44 mm 44 mm 0.07 kg
Design Range  Dimensions  Width in Number of Modular Spacings  Product Net Width  Product Net Height  Product Net Depth / Length  Product Net Weight  Built-In Depth (t <sub>2</sub> )	43 mm 44 mm 44 mm 0.07 kg
Design Range  Dimensions  Width in Number of Modular Spacings  Product Net Width  Product Net Height  Product Net Depth / Length  Product Net Weight	43 mm 44 mm 44 mm 0.07 kg 43 mm
Design Range  Dimensions  Width in Number of Modular Spacings  Product Net Width  Product Net Height  Product Net Depth / Length  Product Net Weight  Built-In Depth (t <sub>2</sub> )  Certificates and Declarations  Declaration of	43 mm 44 mm 44 mm 0.07 kg
Design Range  Dimensions  Width in Number of Modular Spacings  Product Net Width  Product Net Height  Product Net Depth / Length  Product Net Weight  Built-In Depth (t <sub>2</sub> )  Certificates and Declarations  Declaration of Conformity - CE	43 mm 44 mm 44 mm 0.07 kg 43 mm

2CSYK1206S 3/3

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow Mylos \rightarrow Sensor\ /\ Actuator\ Units$ 

