

PRODUCT-DETAILS

GSH203 A-B32/0.03 Residual Current Circuit Breaker with Overcurrent Protection



General Information		
Extended Product Type	GSH203 A-B32/0.03	
Product ID	2TAZ222304R2325	
EAN	6957625388362	
Catalog Description	Residual Current Circuit Breaker with Overcurrent Protection	
Long Description	Residual Current Circuit Breaker with Overcurrent Protection GSH203 A-B32/0.03	

Technical	
Standards	IEC 61009
	GB 16917
Tripping Characteristic	В
Type of Residual Current	Туре А
Rated Operational	400 V AC
Voltage	
Rated Current (In)	32 A
Rated Residual Current	30 mA
Rated Short-Circuit	6 kA
Capacity	

© 2024 ABB. All rights reserved.

2024/10/18

GSH203 A-B32/0.03

Maximum Breaking Capacity	6 kA
Number of Protected Poles	3
Number of Poles	3
Number of Earth Leakage Circuit Breakers (ELCBs)	1
Operating Characteristic	Instantaneous
Release Type	В

CNIIB21EDRCB01216
Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201
20211216
CNIIB21EDRCBO121
False - does not contain substances > 0.1 mass percentage
20211217
9AKK108468A336
30 m/
70 mr
0.093 m
69 mm
0.479 kg
box 1 piece
No declaration needed
No document needed

Popular Downloads

© 2024 ABB. All rights reserved.

1SXF400005C2013

Classifications	
ETIM 8	EC002281 - Distributor assembly with combination RCCB/MCB
ETIM 9	EC002281 - Distributor assembly with combination RCCB/MCB
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363010
eClass	V11.0 : 27400618
Object Classification Code	F

Categories

Low Voltage Products and Systems \rightarrow Modular DIN Rail Products \rightarrow Residual Current Devices RCDs \rightarrow Residual Current Circuit Breakers with Overcurrent Protection RCBO

