

PRODUCT-DETAILS

GSH204 A S-C32/0.1 Residual Current Circuit Breaker with Overcurrent Protection



General Information		
Extended Product Type	GSH204 A S-C32/0.1	
Product ID	2TAZ222406R3324	
EAN	6957625387655	
Catalog Description	Residual Current Circuit Breaker with Overcurrent Protection	
Long Description	Residual Current Circuit Breaker with Overcurrent Protection GSH204 A S-C32/0.1	

Technical	
Standards	IEC 61009
	GB 16917
Tripping Characteristic	C
Type of Residual Current	Туре А
Rated Operational	230 / 400 V AC
Voltage	
Rated Current (In)	32 A
Rated Residual Current	100 mA
Rated Short-Circuit	6 kA
Capacity	

© 2024 ABB. All rights reserved.

2024/10/18

Subject to change without notice

GSH204 A S-C32/0.1

Maximum Breaking	6 kA
Capacity	
Rated Frequency (f)	50 60 Hz
Number of Protected	4
Poles	
Number of Poles	4
Number of Earth	1
Leakage Circuit Breakers	
(ELCBs)	
Operating Characteristic	Selective
Position of Neutral	Right
Terminals	
Release Type	С

CNIIB21EDRCBO121
Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201
20211216
CNIIB21EDRCBO121
False - does not contain substances > 0.1 mass percentage
20211217
9AKK108468A3363
100 mA
125 mm
n 0.093 n
85 mm
0.604 kc
box 1 piece
S
No declaration needed

Instructions and Manuals

Installation

© 2024 ABB. All rights reserved.

Subject to change without notice

No document needed

Popular Downloads

Data Sheet, Technical Information 1SXF400005C2013

Classifications		
ETIM 8	EC002281 - Distributor assembly with combination RCCB/MCB	
ETIM 9	EC002281 - Distributor assembly with combination RCCB/MCB	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	
CN8	85363010	
eClass	V11.0 : 27400618	
Object Classification Code	F	

Categories

Low Voltage Products and Systems \rightarrow Modular DIN Rail Products \rightarrow Residual Current Devices RCDs \rightarrow Residual Current Circuit Breakers with Overcurrent Protection RCBO

