

1/3

PRODUCT-DETAILS

GSJ204 AC-C25/0.03

Residual Current Circuit Breaker with Overcurrent Protection



General Information	
Extended Product Type	GSJ204 AC-C25/0.03
Product ID	2TAZ224401R2254
EAN	6957625346959
Catalog Description	Residual Current Circuit Breaker with Overcurrent Protection
Long Description	Residual Current Circuit Breaker with Overcurrent Protection GSJ204 AC-C25/0.03

Technical	
Standards	IEC 61009 GB 16917
Tripping Characteristic	С
Type of Residual Current	Type AC
Rated Operational Voltage	230 / 400 V AC
Rated Current (In)	25 A
Rated Residual Current	30 mA
Rated Short-Circuit Capacity	6 kA

GSJ204 AC-C25/0.03 2/3

6 kA
50 60 Hz
4
4
1
Instantaneous
Right
_
С

Material Compliance	
RoHS Information	CNIIB21EDRCBO1216
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20211216
REACH Declaration	CNIIB21EDRCBO1217
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20211217
Conflict Minerals	9AKK108468A3363

Reporting Template (CMRT)

Technical UL/CSA

Short-Circuit Current 30 mA Rating (SCCR)

Dimensions	
Product Net Width	70 mm
Product Net Height	0.093 m
Product Net Depth /	69 mm

Product Net Weight 0.604 kg

Certificates and Declarations

Declaration of No declaration needed Conformity - CE

Installation

Instructions and No document needed Manuals

Popular Downloads

Data Sheet, Technical 15XF400005C2013
Information

GSJ204 AC-C25/0.03 3/3

Classifications		
ETIM 8	EC002281 - Distributor assembly with combination RCCB/MCB	
ETIM 9	EC002281 - Distributor assembly with combination RCCB/MCB	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	
CN8	85363010	
eClass	V11.0 : 27400618	

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Residual\ Current\ Devices\ RCDs\ \rightarrow\ Residual\ Current\ Circuit\ Breakers\ with\ Overcurrent\ Protection\ RCBO$

