GSE201L A-C63/0.03 1/3



PRODUCT-DETAILS

GSE201L A-C63/0.03

Residual Current Circuit Breaker with Overcurrent Protection



General Information	
Extended Product Type	GSE201L A-C63/0.03
Product ID	2TAZ228114R2634
EAN	6941195469583
Catalog Description	Residual Current Circuit Breaker with Overcurrent Protection
Long Description	The GSE201L series RCBO is a 1P+N in two-modules device for the protection of end user single-phase circuits against overload and short-circuit currents; protection against the effects of sinusoidal alternating earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).

Technical	
Number of Batteries	0

Material Compliance	
RoHS Information	CNIIB21EDRCBO1216
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

GSE201L A-C63/0.03 2/3

RoHS Date	20211216
REACH Declaration	CNIIB21EDRCBO1217
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20211217
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions	
Product Net Width	0.035 m
Product Net Height	0.085 m
Product Net Depth / Length	0.069 m
Product Net Weight	0.203 kg

Ordering	
Package Level 1 Units	box 6 piece
Package Level 1 Gross Weight	1.273 kg

Certificates and Declarations	
Declaration of	No declaration needed
Conformity - CF	

Installation	
Instructions and	No document needed
Manuals	

Popular Downloads	
Data Sheet, Technical	1SXF400013C2001
Information	

Classifications	
ETIM 8	EC002281 - Distributor assembly with combination RCCB/MCB
ETIM 9	EC002281 - Distributor assembly with combination RCCB/MCB
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536200000
eClass	V11.0 : 27400618
Object Classification Code	Q

GSE201L A-C63/0.03 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Residual\ Current\ Devices\ RCDs \rightarrow Residual\ Current\ Circuit\ Breakers\ with\ Overcurrent\ Protection\ RCBO$

