AU80 1/4



PRODUCT-DETAILS

08UA

AU80 Box White IP3X



General Information	
Extended Product Type	AU80
Product ID	2TKA00002402
EAN	6438199004266
Catalog Description	AU80 Box White IP3X
Long Description	The box is mentioned for the installations with the flexible pipe. There is six knock outs for 16/20 mm pipes and two for the 20 mm pipe. In the bottom there is two knock outs for the bottom inlets. The mounting box includes a rotating, steplessly adjustable extension ring with two locking wings and two red half circles enabling installation on boards with a thickness of 12- 39 mm. The minimum installation depht is 45 mm and overall height 58-73 mm. Made of halogen free material (IEC/61249-2-21) and fulfills the requirements of the glow wire test according to the standard IEC/EN60670: 2005 (850 °C).

Δ	RF	R F	co	5	٦lı	ıti		ns
_		, _		, .,,	UIL	461	•	113

Environmental Product 9AKK108468A0935
Declaration - EPD

AU80 2/4

Technical	
Application	None
Model Number	Single
Number of Poles	0
Number of Conduit Inlets	8
Number of Gangs	1
Number of Inlet Inserts Included	0
Design	Device connection box (round/square)
Cover Mounting Type	Snap On
Mounting Type	Flush mounted (plaster)
Switching Equipment Mounting Type	Screw
Shape	Round
Surface Finishing	Untreated
Material	Plastic, Thermoplastic
Includes	None
Color	White

Material Compliance	
RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240314
REACH Declaration	9AKK106713A4633
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	0f48dbcd-f68b-4096-98c7-6fd7eb0a1c41 Finland (FI)

Environmental	
Degree of Protection	IP3X

Dimensions	
Product Net Width	0.074 m
Product Net Height	0.057 m
Product Net Depth / Length	74 mm
Product Net Weight	0.1005 kg

Ordering		
Package Level 1 Units	box 80 piece	
Package Level 1 Gross Weight	8.5 kg	
E-Number (Norway)	1220000	

AU80 3/4

Certificates and Declarations			
Declaration of 9AKK100 Conformity - CE			

Installation	
Instructions and	9AKK10103A2549
Manuals	

Popular Downloads		
Data Sheet, Technical Information	9AKK10103A2549	
Building Information Modeling – BIM	9AKK108468A3695	

Classifications	
ETIM 8	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 9	EC002601 - Box/housing for built-in mounting in the wall/ceiling
WEEE Category	Product Not in WEEE Scope

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Materials \rightarrow Flush\ Mounted\ Boxes \rightarrow Plastic\ Installation\ Boxes\ (for\ WA\ Inserts) \rightarrow Hollow\ Wall$









AU80 4/4



