AS95 1/3



PRODUCT-DETAILS

## **AS95** AS95 Support



General Information	
Extended Product Type	AS95
Product ID	2TKA00003602
EAN	6438199005126
Catalog Description	AS95 Support
Long Description	Support AS95 is used with Ideal series mounting boxes with knock-out inlets. The support is used for installation of boxes into light, non-bearing walls that are constructed on site, with interlayers of 66, 70, 90 and 95 mm. It is possible to use an inlet or a strain-relief (conduitless flush mounting) with the support. Made of halogen free material (IEC/61249-2-21)

Material Compliance	
RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240314
REACH Declaration	9AKK106713A4633
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals	9AKK108468A3363

AS95 2/3

Reporting	Template
(CMRT)	

Dimensions	
Product Net Width	0.038 m
Product Net Height	0.018 m
Product Net Depth / Length	0.085 m
Product Net Weight	0.009 kg

Ordering	
Package Level 1 Units	box 20 piece
Package Level 1 Gross	0.19 kg
Weight	_
E-Number (Finland)	1152357

Certificates and Declarations	
Declaration of	9AKK108467A7115
Conformity - CE	

Installation	
Instructions and	No document needed
Manuals	

Popular Downloads	
Data Sheet, Technical	No document needed
Information	

Classifications	
ETIM 8	EC002328 - Accessories/spare parts for junction boxes/cases for mounting in the wall
ETIM 9	EC002328 - Accessories/spare parts for junction boxes/cases for mounting in the wall
WEEE Category	Product Not in WEEE Scope

AS95 3/3

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Materials \rightarrow Flush\ Mounted\ Boxes \rightarrow Accessories\ for\ Plastic\ Flush\ Mounted\ Boxes \rightarrow Box\ Support$ 







