202 EUJRB-866 1/3



PRODUCT-DETAILS

202 EUJRB-866

Socket Outlets stainless steel - Pure Stainless Steel



General Information	
Extended Product Type	202 EUJRB-866
Product ID	2TKA00003922
EAN	6438199005676
Catalog Description	Socket Outlets stainless steel - Pure Stainless Steel
Long Description	Complete cover. With screwless terminals. DP (2 P + E) Suitable for 1gang flush-mounted boxes. Without claws.
Installation	
Instructions and Manuals	No document needed
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Screw Without Claw
Environmental	
Degree of Protection	IP20

202 EUJRB-866 2/3

Tackminal	
Technical	
Data Sheet, Technical Information	No document needed
Number of Poles	2+PE
Number of Phases	1
Number of Gangs	2
Connection Type	Plug Clamp
Socket Outlet Type	Protective Contact (SCHUKO)
Terminal Type	Screwless Terminals
Electrical	
Rated Voltage (U _r)	250 V
Rated Current (I _n)	
Rated Frequency (f)	50 Hz
Design	
Design Range	Pure Stainless Steel
Surface Finishing	Lacquered Matt
Material	Thermoplastic
Label Space Provided	No
Color	stainless steel
Dimensions	
Product Net Width	102 mm
Product Net Height	85 mm
Product Net Depth / Length	40 mm
Product Net Weight	108.527 g
Built-In Depth (t ₂)	32 mm
Material Compliance	
	0.8121/4.0074.0.8.4.0.0.4
RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Information	9AKK106713A4633
REACH Date	False - does not contain substances > 0.1 mass percentage
REACH Date Conflict Minerals	20240313 9AKK108468A3363
Reporting Template (CMRT)	9AKK 108408A3303
Certificates and Declarations	
Declaration of Conformity - CE	9AKK108468A6801
Classifications	
ETIM 9	EC000125 - Socket outlet
eClass	V11.0 : 27144042

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B

Business To Consumer

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Wiring\ Accessories\ -\ Light\ Switch\ Ranges\ \to\ Cover\ Plates\ and\ Control\ Elements\ \to\ Socket\ Outlets$











360