




---

 PRODUCT-DETAILS

## 402EL-885

### Socket outlet Without imprint Black - Impressivo




---

**General Information**

Extended Product Type	402EL-885
Product ID	2TKA00004444
EAN	6438199008455
Catalog Description	Socket outlet Without imprint Black - Impressivo
Long Description	There are terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals.

---

**Installation**

Instructions and Manuals	9AKK107680A7777
Mounting Type	Surface mounted (plaster)
Type of Fastening	Mounting with Screw

---

**Environmental**

Degree of Protection	IP21
----------------------	------

## Technical

Data Sheet, Technical Information	9AKK107680A7777
Number of Phases	1
Number of Gangs	2
Connection Type	Push-In
Socket Outlet Type	Protective Contact (SCHUKO)

## Electrical

Rated Voltage (U <sub>r</sub> )	250 V
Rated Current (I <sub>n</sub> )	16 A
Frequency (f)	50 ... 50 Hz

## Design

Design Range	Impressivo
Surface Finishing	Lacquered Matt
Material	Plastic, Thermoplastic
Legend	Without imprint
Label Space Provided	No
RAL Number	RAL 9005 - Jet Black
Color	Black

## Dimensions

Product Net Width	100.0 mm
Product Net Height	42.000 mm
Product Net Depth / Length	100.0 mm
Product Net Weight	0.165 kg

## Ordering

E-Number (Finland)	2406016
E-Number (Norway)	1514314
E-Number (Sweden)	1815351

## Material Compliance

RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK106713A4633
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

---

### Certificates and Declarations

---

Declaration of  
Conformity - CE

9AKK108468A6488

---

---

### Classifications

---

ETIM 9

EC000125 - Socket outlet

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B

Business To Consumer

---

---

### Categories

---

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Surface Mounted Range → Socket Outlets

