



 PRODUCT-DETAILS

AK14

AK14 Extension ring



General Information

Extended Product Type	AK14
Product ID	2TKA130002G1
EAN	6410011521953
Catalog Description	AK14 Extension ring
Long Description	The AK14 extension ring is used to change the depth of the AU8 and AU19 junction boxes, so that conduiting can take place above the concrete reinforcement. It gives a 75 mm space between the top level of the cast and the conduits; the AU19 gives a space of 67 mm.

Technical

Application	Built-in installation box (device box)
Mounting Type	Hollow wall
Shape	Round

Material Compliance

RoHS Information	9AKK106713A4634
------------------	-----------------

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240314
REACH Declaration	9AKK106713A4633
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	8c43d8ae-b6fa-4260-8c41-cb4aa68d2cdb Finland (FI)

Dimensions

Product Net Width	0.094 m
Product Net Height	0.045 m
Product Net Depth / Length	0.135 m
Product Net Weight	0.0514 kg

Ordering

Package Level 1 Units	box 50 piece
Package Level 1 Gross Weight	3.05 kg
E-Number (Finland)	1152195

Certificates and Declarations

Declaration of Conformity - CE	9AKK108467A7115
--------------------------------	-----------------

Installation

Instructions and Manuals	9AKK10103A2549
--------------------------	----------------

Popular Downloads

Data Sheet, Technical Information	9AKK10103A2549
-----------------------------------	----------------

Classifications

ETIM 8	EC000115 - Plaster compensation ring
ETIM 9	EC000115 - Plaster compensation ring
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Installation Materials → Flush Mounted Boxes → Accessories for Plastic Flush Mounted Boxes → Extension Rings

