



 PRODUCT-DETAILS

83310-500

Auxiliary power supply



General Information

| | |
|-----------------------|--|
| Extended Product Type | 83310-500 |
| Product ID | 2TMA020080N0006 |
| EAN | 6955891807013 |
| Catalog Description | Auxiliary power supply |
| Long Description | Additional supply device of the ABB-Welcome system to increase the number of connectable indoor stations. For up to 45 consumer units. |

Installation

| | |
|--------------------------|--------------------|
| Instructions and Manuals | No document needed |
| Mounting Type | DIN-Rail |

Environmental

| | |
|----------------------|------|
| Degree of Protection | IP20 |
|----------------------|------|

Technical

| | |
|------------------------------------|--------------------|
| Data Sheet, Technical Information | No document needed |
| Number Of Connectable Participants | 45 |

Electrical

| | |
|--------------------------------------|--------|
| Current Type | DC |
| Input Voltage (U_{in}) | 230 V |
| Output Voltage (U_{out}) | 28 V |
| Output Current Maximum (I_{out}) | 900 mA |

Design

| | |
|----------|---------|
| Material | Plastic |
| Color | grey |

Dimensions

| | |
|-------------------------------------|--------|
| Width in Number of Modular Spacings | 8 |
| Product Net Width | 144 mm |
| Product Net Height | 90 mm |
| Product Net Depth / Length | 65 mm |
| Product Net Weight | 447 g |

Material Compliance

| | |
|---|--|
| RoHS Information | 2TMD081215X2102 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| REACH Information | No data - If REACH inform is not yet available for a certain product |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Certificates and Declarations

| | |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 2TMD081313X0130 |
|--------------------------------|-----------------|

Classifications

| | |
|----------------|--|
| ETIM 9 | EC001089 - Power supply door communication |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Door Entry & Access Control Systems → Welcome → System Devices

