

PRODUCT-DETAILS

83350-500-01 Telephone Gateway



General Information	
Extended Product Type	83350-500-01
Product ID	2TMA020150H0007
EAN	6955891806016
Catalog Description	Telephone Gateway
Long Description	For connecting an ABB-Welcome system with the analog inputs of a private branch exchange (PBX). Permits the use of a telephone (e.g., DECT, ISDN, mobile telephone) as indoor door communication station. Taking door calls, opening the door and switching the light via the telephone keypad (DTMF). Switching between the freely-programmable target numbers via the telephone keypad (DTMF). PIN protection for all configuration settings. For ABB-Welcome systems with up to 99 appartments. Programming via the telephone keypad (DTMF) or via web browser (requires IP gateway 83342-5.). 2 screw-type terminals for the analog a'/b' connection towards the private branch exchange (PBX).
Installation	2TMC107027M9701

DIN-Rail

Environmental

Mounting Type

© 2024 ABB. All rights reserved.

2024/10/19

Subject to change without notice

Degree of Protection	IP20
Technical	
Data Sheet, Technical Information	2TMC107015M02
Design	
Material	Plastic
Color	grey
Dimensions	
Width in Number of Modular Spacings	4
Product Net Width	72 mm
Product Net Height	90 mm
Product Net Depth /	65 mm
Length Product Net Weight	145 g
Material Compliance	
RoHS Information	2TMC107039D0201
RoHS Status	Following EU Directive 2011/65/EU
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Certificates and Declarations	
Declaration of Conformity - CE	2TMC107040D0201
Classifications	
ETIM 9	EC001349 - Additional device for door communication
WEEE Category	 Small IT and Telecommunication Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems \rightarrow Building and Home Automation Solutions \rightarrow Door Entry & Access Control Systems \rightarrow Welcome \rightarrow System Devices

