

PRODUCT-DETAILS

## ACQ580-01-041A-6

## LV AC wall-mounted drive for water and wastewater, UL: Pld 40 Hp, 41 A, 575 V (ACQ580-01-041A-6)

## **General Information**

Global Commercial Alias	ACQ580-01-041A-6
Product ID	3AXD50000268627
ABB Type Designation	ACQ580-01-041A-6
EAN	6438177537977
Catalog Description	LV AC wall-mounted drive for water and wastewater, UL: Pld 40 Hp, 41 A, 575 V (ACQ580-01-041A-6)
Long Description	The ACQ580-01 drives deliver innovative pump features for the water and wastewater industry, securing energy efficient flow of water and wastewater in your pumping solutions. This robust and compact wall-mounted drive has built-in pump application functionality such as sensorless flow calculation, multipump control, level control, soft pipe fill, dry run protection, quick ramps and a solution for keeping the impeller of the pump clean. Usability is further enhanced with the intuitive Hand-Off-Auto control panel, the PC tool Drive composer and an optional Bluetooth® control panel. The built- in energy calculator visualizes the energy savings achieved with the use of the drive. The ACQ580-01 variant comes in IP21 enclosure as standard and can be installed on the wall. Also, IP55 and flange mounting units are available.

Ordering	
Country of Origin	Finland (FI) United States (US)
Customs Tariff Number	85044080
Invoice Description	ACQ580-01-041A-6, 575VAC, Pn 30HP, I2LD 32A, N1/IP21
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece

Dimensions	
Product Net Weight	62.4 lb
Product Net Depth / Length	11.6 in

© 2024 ABB. All rights reserved.

Product Net Height	28.83 in
Product Net Width	7.99 in
Package Level 1 Units	1 carton

Technical	
Number of Phases	3
Degree of Protection	IP21
Enclosure Type NEMA	Туре1
Frequency (f)	50/60 Hz
Frame Size	R5
Input Voltage (U <sub>in</sub> )	500 600 V
Mounting Type	Wall-mounting

Technical UL		
Output Current, Heavy- Duty Use (UL)	30 A	
Output Current, Light- Overload Use (UL)	41 A	
Output Power, Heavy- Duty Use (UL)	30 Нр	
Output Power, Light- Overload Use (UL)	40 Hp	

Classifications	
UNSPSC	39122001

WEEE Category

4. Large Equipment (Any External Dimension More Than 50 cm)

Additional Information	
Product Name	AC Drive

## Categories

© 2024 ABB. All rights reserved.

 $\label{eq:Drives} Drives \rightarrow Low \ Voltage \ AC \ Drives \rightarrow Drives \ for \ Water \rightarrow ACQ580-01 \ - \ Wall-mounted \ drive \ for \ water \ and \ wastewater$