




---

 PRODUCT-DETAILS

## DSM06M-0KW4-302-S2NB0

LV AC servo motor, IEC: Pn 0.4 kW, Tn 1.27 N·m, 220 V (DSM06M-0KW4-302-S2NB0)




---

**General Information**

Global Commercial Alias	DSM06M-0KW4-302-S2NB0
Product ID	3AXD50001101473
ABB Type Designation	DSM06M-0KW4-302-S2NB0
Catalog Description	LV AC servo motor, IEC: Pn 0.4 kW, Tn 1.27 N·m, 220 V (DSM06M-0KW4-302-S2NB0)
Long Description	The DSM servo motor is a high performance servo motor. It is used together with the E530 servo drive. The DSM servo motor offers various options including: brake, oil seal, and encoder type, which provides flexible choices for customers. The 5 pole-pairs design makes it more compact in structure and effectively reduce the cogging torque.

---

**Ordering**

Country of Origin	China (CN)
Customs Tariff Number	8501520000
Invoice Description	DSM series motor, 220 VAC, flange size 60 mm, medium inertia, 400 W, 20-bit SmartAbs MT, no brake, key, seal
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No

---

Selling Unit of Measure piece

---

---

### Dimensions

---

Product Net Weight	1.6 kg
Product Net Depth / Length	152 mm
Product Net Height	72 mm
Product Net Width	60 mm
Package Level 1 Depth / Length	253 mm
Package Level 1 Height	105 mm
Package Level 1 Width	123 mm
Package Level 1 Units	1 carton

---

---

### Technical

---

Number of Phases	3
Degree of Protection	IP65
Input Voltage ( $U_{in}$ )	220 V

---

---

### Classifications

---

UNSPSC	26101109
--------	----------

---

---

### Additional Information

---

Product Name	DSM servo motor
--------------	-----------------

---

---

### Categories

---

Drives → Low Voltage AC Drives → Servo Products → AC Servo Motors → DSM servo motors

