




---

 PRODUCT-DETAILS

# 3GBA352240-ADJCN

## (3GBA352240-ADJCN)




---

**General Information**

Product ID	3GBA352240-ADJCN
ABB Type Designation	M2BAF 355SMD 4
Catalog Description	(3GBA352240-ADJCN)

---

**Ordering**

ABB Type Designation	M2BAF 355SMD 4
Invoice Description	M2BAF 355SMD 4
Product Name	3-Phase squirrel cage motor
Product Type	CBF2__M2BAF_IE2_CI
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	China (CN)
Customs Tariff Number	85015381
Stocked At (Warehouses)	Shanghai, China Guangzhou, China China

## Electrical

### Electrical Data

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	--	50 Hz	660 V	220.00 kW	1487 r/min	234.00 A	0.860	95.10 %	1412.47 N-m	6.20
D	--	50 Hz	380 V	220.00 kW	1487 r/min	407.00 A	0.860	95.10 %	1412.47 N-m	6.20

Temperature Class Default	--
Altitude	1000 m
Ambient Temperature	40 °C
IC Class	IC411
IE Class Data (50 Hz)	IE Class IE2 Full Load (100%) 95.1 % Partial Load (75%) 95.3 % Partial Load (50%) 94.9 %
IP Class	IP55
Insulation Class	ICLF
Direction of Rotation	Both sides
Number of Poles (High)	4
Two Speed Motor	No
Type of Duty	S1
Voltage Code	D

## Mechanical

Frame Material	Cast Iron
Frame Size	355
Bearing	6322/C3
Bearing NDE	6316/C3
IM Class	IMB3 IM1001
Terminator Box Location	D-End top

## Dimensions

Package Level 1 Units	0 pallet (lift)
Product Net Weight	1359 kg
Gross Weight	0 kg

## Classifications

UNSPSC	26101100
--------	----------

---

## Categories

---

Motors and Generators → IEC Low Voltage AC Motors → General Performance Motors → IE2 High Efficiency Cast Iron Motors

