



 PRODUCT-DETAILS

UPS PowerValue 11 LI 2000 VA PRO UK

UPS PowerValue 11 LI 2000 VA PRO UK



General Information

Extended Product Type	UPS PowerValue 11 LI 2000 VA PRO UK
Product ID	4NWP100179R0002
EAN	7640169264207
Catalog Description	UPS PowerValue 11 LI 2000 VA PRO UK
Long Description	UPS PowerValue 11LI 2000 VA PRO UK

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	4NWD004620
RoHS Information	4NWD004322
RoHS Status	Following EU Directive 2011/65/EU

Popular Downloads

Data Sheet, Technical	4NWD004444_ML
-----------------------	---------------

Information

Instructions and Manuals	4NWD004444_ML
--------------------------	---------------

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85044000
Country of Origin	China (CN)

Dimensions

Product Net Width	146 mm
Product Net Height	205 mm
Product Net Depth / Length	395 mm
Product Net Weight	12.5 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	236 mm
Package Level 1 Height	297 mm
Package Level 1 Depth / Length	496 mm
Package Level 1 Gross Weight	13.5 kg
Package Level 1 EAN	7640169264207

Technical

Apparent Power Output	2000 V·A
Battery Chemical Composition	Lead-Acid
Battery Type	Portable
Battery Weight	2.83 kg
Communication Interface	USB RS-232
Connection Type	IEC C14
Input Voltage (U _{in})	230 V
Input Voltage Type	AC
Number of Batteries	2
Number of Outputs	C13 Connection 6
Number of Phases	Primary - 1 Secondary - 1
Options Provided	Auto shut down function
Rated Frequency (f)	Primary 50 Hz Primary 60 Hz Secondary 50 Hz Secondary 60 Hz
Rated Output Power	1200 W

Certificates and Declarations

Declaration of
Conformity - CE

4NWD004322

Classifications

ETIM 7	EC000382 - UPS
ETIM 8	EC000382 - UPS
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85044000
eClass	V11.1 : 27040690
Object Classification Code	G

Categories

UPS, Power Conditioning and Power Distribution → UPS → Single-Phase UPS → PowerValue 11 LI IEC 230V

