

PRODUCT-DETAILS

6017566 ALTOLUX 113 LED M3 DALI



General Information	
Extended Product Type	6017566
Product ID	7TCA305025R0042
EAN	8713812777788
Catalog Description	ALTOLUX 113 LED M3 DALI
Long Description	Emergency lighting self-contained luminaire, escape route, bus monitoring
Technical	
Function	Escape route lighting
Rated Voltage (U _r)	230 V
Input Voltage Type	AC

	7.0 W
Power Supply Type	Peripheral (Individual Battery)
Number of Poles	6
Number of Lamps	1
Number of Lighting Heads	1
	6200 K

Functional	Testing	
Capability		

Safety Module for Monitoring (Central Feeded System)

© 2023 ABB. All rights reserved.

Continuous circuit/emergency circui Ending	Wiring Configuration
400 In	Illuminance
LED Operating Device Current Controlled	Ballast Type
Pluggable	Connection Type
LED not exchangeable	Lamp Type
Focal Lens	Light Distribution Type
Wall surface mounted / ceiling surface mounting	Mounting Type
Plastic Matt / Satinized	Cover Material
Plastic	Housing Material
White	Housing Color
Nickel-Cadmiun	Battery Chemical Composition
Industria	Battery Type
695 (Battery Weight
	Number of Batteries
	Environmental
IEC62722-2-1 0 40 °C	Ambient Temperature
IP6:	Degree of Protection
Isolated (Class II	Protection Class
	Dimensions
143 mn	Product Net Width
95 mn	Product Net Height
326 mn	Product Net Depth / Length
2.225 kg	Product Net Weight
	Ordering
box 1 piece	Package Level 1 Units
2.650 kg	Package Level 1 Gross Weight
	Certificates and Declarations
9AKK108468A8758	Declaration of Conformity - CE
	Installation
9AKK108466A906	Instructions and Manuals

Popular Downloads

Data Sheet, Technical Information

Classifications		
ETIM 8	EC001957 - Emergency luminaire	
ETIM 9	EC001957 - Emergency luminaire	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Business	
CN8	940540844	

Categories

 ${\sf Low \ Voltage \ Products \ and \ Systems \ \rightarrow \ Installation \ Products \ \rightarrow \ Cable \ Protection, \ Explosion \ Proof \ and \ Lighting \ \rightarrow \ Emergency \ Lighting \ (a) \ (b) \$

6017566