




---

 PRODUCT-DETAILS

# 140616

## No Description Available




---

**General Information**

Global Commercial Alias	140616
Product ID	7B140616
ABB Type Designation	P2B511-TAF-115LE-HT
Catalog Description	No Description Available

---

**Additional Information**

ABB Type Designation	P2B511-TAF-115LE-HT
Base to Center Height	2.75 in
Bearing Type	Tapered Roller
Bolt Size	Diameter 0.625 in
Bolt to Bolt	Maximum 8.25 in Minimum 7.38 in
Bore Length	3.5 in
Country of Origin	United States (US)
Customs Tariff Number	Missing
Dynamic Load Capacity	9300 lbf
Expansion Capability	Expansion (Float)

Frame Size	Undefined
Global Commercial Alias	140616
Grease Name	MobilGrease HTS #2
Gross Weight	9.13 kg
Housing Construction	Split
Housing Dimensional Standard	SAF
Housing Material	Cast Iron
Housing Type	Two-Bolt Pillow Block
Insert Material	Steel
Insert Outer Diameter	4.13 in
Lubrication	Grease
Made To Order	No
Maximum Speed	3050 r/min
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Product Name	TAPERED ROLLER BEARINGS
Product Net Height	0 cm
Product Net Weight	9.13 kg
Product Net Width	0 cm
Product Type	Undefined
Quote Only	No
Relubricatable	Yes
Sealing Type	Labyrinth
Selling Unit of Measure	piece
Sensor Ready	Yes
Shaft Attachment	Setscrew
Shaft Diameter	1.9375 in
Static Load Capacity	43000 lbf
Stocked At (Warehouses)	China Alabama, United States Alaska, United States
Suitable for High Temperature Application	Yes

