

PRODUCT-DETAILS

1LE23012AM140AA3**No Description Available****General Information**

Global Commercial Alias	1LE23012AM140AA3
Product ID	7B1LE23012AM140AA3
ABB Type Designation	MOTOR,5/1.2,18/9,SD10 MS,460,213T
Catalog Description	No Description Available

Additional Information

ABB Type Designation	MOTOR,5/1.2,18/9,SD10 MS,460,213T
Ambient Temperature	40 °C
Bearing	6208, Ball
Bearing NDE	6208
Brake Present	No
Brand / Label	ABB NEMA Motors
Catalog Number	1LE23012AM140AA3
Country of Origin	Mexico (MX)
Customs Tariff Number	8501520400
Drive End Flange Type	Standard
Efficiency Level	Not Regulated / Exempt
Electrical Data	

Current

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

Enclosure Type	TEFC
Frame Material	Cast Iron
Frame Size	Undefined
Global Commercial Alias	1LE23012AM140AA3
Gross Volume	0.165 m ³
Gross Weight	70 lb



Freq

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Power

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Speed

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Voltage

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

IP Class	IP54
Insulation Class	F
Made To Order	No
Minimum Order Quantity	1 piece
Motor Base Type	Foot Mounted
Motor Frame Size	213T
Mounting Orientation	Horizontal
Mounting Position	F1
Number of Phases	3
Number of Poles	4 8
Number of Poles (High)	8
Number of Poles (Low)	4
Number of Speeds	two_speed
Order Multiple	1 piece
Output Power	5 Hp
Power Factor	72/50 %
Product Name	2 Speed Motors
Product Net Depth / Length	0 in
Product Net Height	0 in
Product Net Weight	64 lb
Product Net Width	0 in
Product Type	Undefined
Quote Only	No
Rated Current (I _n)	7.7 A 3 A
Rated Efficiency	86.5 %
Rated Speed	1760 r/min 865 r/min
Selling Unit of Measure	piece
Service Factor	1.15
Standards	NEMA
Starting of Motor	Direct on line
Stocked At (Warehouses)	Fort Smith Ar, United States Tlajomulco de Zuniga, Mexico 1800 r/min 900 r/min
Type of Duty	Continuous
Voltage Rating	460 V

