

PRODUCT-DETAILS

1LE23014EM240AA3

No Description Available

General Information

Global Commercial Alias	1LE23014EM240AA3
Product ID	7B1LE23014EM240AA3
ABB Type Designation	MOTOR,125 / 31,1800/900,SD10MS,460,
Catalog Description	No Description Available

Additional Information

ABB Type Designation	MOTOR,125 / 31,1800/900,SD10MS,460,
Ambient Temperature	40 °C
Bearing	6318, Ball
Bearing NDE	6316
Brake Present	No
Brand / Label	ABB NEMA Motors
Catalog Number	1LE23014EM240AA3
Country of Origin	Mexico (MX)
Customs Tariff Number	8501520400
Drive End Flange Type	Standard
Efficiency Level	Not Regulated / Exempt
Electrical Data	

Current

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

Enclosure Type	TEFC
Frame Material	Cast Iron
Frame Size	Undefined
Global Commercial Alias	1LE23014EM240AA3
Gross Volume	1.393 m ³
Gross Weight	894 lb



Freq

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Power

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Speed

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Voltage

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

IP Class	IP54
Insulation Class	F
Made To Order	No
Minimum Order Quantity	1 piece
Motor Base Type	Foot Mounted
Motor Frame Size	445T
Mounting Orientation	Horizontal
Mounting Position	F1
Number of Phases	3
Number of Poles	4 8
Number of Poles (High)	8
Number of Poles (Low)	4
Number of Speeds	two_speed
Order Multiple	1 piece
Output Power	125 Hp
Power Factor	81/56 %
Product Name	2 Speed Motors
Product Net Depth / Length	0 in
Product Net Height	0 in
Product Net Weight	862 lb
Product Net Width	0 in
Product Type	Undefined
Quote Only	No
Rated Current (I _n)	158 A 57 A
Rated Efficiency	93.0 %
Rated Speed	1780 r/min 890 r/min
Selling Unit of Measure	piece
Service Factor	1.15
Standards	NEMA
Starting of Motor	Direct on line
Stocked At (Warehouses)	Fort Smith Ar, United States Tlajomulco de Zuniga, Mexico 1800 r/min 900 r/min
Type of Duty	Continuous
Voltage Rating	460 V

