1LE63214TC112AA1 1/10

PRODUCT-DETAILS

## 1LE63214TC112AA1

# No Description Available

General Information	
Global Commercial Alias	1LE63214TC112AA1
Product ID	7B1LE63214TC112AA1
ABB Type Designation	MOTOR,150,1200,SD200,460,R447T
Catalog Description	No Description Available

Additional Information	
ABB Type Designation	MOTOR,150,1200,SD200,460,R447T
Ambient Temperature	40 °C
Bearing	NU320
Bearing NDE	6315
Brake Present	No
Brand / Label	ABB NEMA Motors
Catalog Number	1LE63214TC112AA1
Country of Origin	Mexico (MX)
Customs Tariff Number	8501530400
Drive End Flange Type	Standard
Efficiency Level	Premium Efficiency (NEMA 12-12)
Flectrical Data	

#### Current

An error has occurred while processing HtmlTextBox ":

The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":

The expression contains undefined function call GetListItemValue().

Enclosure Type	TEFC	
Explosion Proof Group Class	Class I, Group A, B, C & D, Class II, Group F & G	
Frame Material	Cast Iron	
Frame Size	Undefined	
Global Commercial Alias	1LE63214TC112AA1	
Gross Volume	0.656 m <sup>3</sup>	

1LE63214TC112AA1 2/10



#### Freq

An error has occurred while processing HtmlTextBox ": The expression contains undefined function call GetListItemValue().

1LE63214TC112AA1 3/10

#### Power

An error has occurred while processing HtmlTextBox ": The expression contains undefined function call GetListItemValue().

1LE63214TC112AA1 4/10

#### Speed

An error has occurred while processing HtmlTextBox ": The expression contains undefined function call GetListItemValue().

1LE63214TC112AA1 5/10

### Voltage

An error has occurred while processing HtmlTextBox ": The expression contains undefined function call GetListItemValue().

1LE63214TC112AA1 6/10

Gross Weight	827 lb
IP Class	IP55
Insulation Class	
Made To Order	No
Minimum Order Quantity	1 piece
Motor Base Type	Foot Mounted
Motor Frame Size	R447T
Mounting Orientation	Horizontal
Mounting Position	F1
NEMA Design Code	В
Number of Phases	3
Number of Poles	6
Number of Poles (High)	6
Number of Speeds	single_speed
Order Multiple	1 piece
Output Power	150 Hp
Power Factor	80.7 %
Product Name	LVM Severe Duty (SD200)
Product Net Depth /	0 in
Length	
Product Net Height	0 in
Product Net Weight	819.8 lb
Product Net Width	0 in
Product Type	Undefined
Quote Only	No
Rated Current (I <sub>n</sub> )	178.23 A 178.23 A
Rated Efficiency	95.8 %
Rated Speed	1190 r/min
Selling Unit of Measure	piece
Service Factor	1.15
Shaft Grounding	Mounting Provisions Only
Standards	NEMA
Starting of Motor	Direct on line
Stocked At	Fort Smith Ar, United States
(Warehouses)	Tlajomulco de Zuniga, Mexico
	1000 r/min
Towns with the Class	1200 r/min
Temperature Class	T3
Type of Duty	Continuous
Voltage Rating	400 V 460 V

1LE63214TC112AA1	7/10

1LE63214TC112AA1	8/10

1LE63214TC112AA1	9/10

1LE63214TC112AA1

10/1