

PRODUCT-DETAILS

1PC28322EA412TA3**No Description Available****General Information**

Global Commercial Alias	1PC28322EA412TA3
Product ID	7B1PC28322EA412TA3
ABB Type Designation	MOTOR,30,3600,LP100,460,286LPH
Catalog Description	No Description Available

Additional Information

ABB Type Designation	MOTOR,30,3600,LP100,460,286LPH
Ambient Temperature	40 °C
Bearing	6312 Z C3 S0, Ball
Bearing NDE	7311 BG DB
Brake Present	No
Brand / Label	ABB NEMA Motors
Catalog Number	1PC28322EA412TA3
Country of Origin	Mexico (MX)
Customs Tariff Number	8501520400
Drive End Flange Type	P-Base
Efficiency Level	Premium Efficiency (NEMA 12-12)
Electrical Data	

Current

An error has occurred while processing HtmlTextBox "
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "
The expression contains undefined function call GetListItemValue().

Enclosure Type	TEFC
Explosion Proof Group Class	Class I, Group A, B, C & D
Frame Material	Cast Iron
Frame Size	Undefined
Global Commercial Alias	1PC28322EA412TA3
Gross Volume	0.512 m ³



Freq

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Power

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Speed

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Voltage

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Gross Weight	306 lb
IP Class	IP55
Insulation Class	F
Made To Order	No
Minimum Order Quantity	1 piece
Motor Base Type	Footless
Motor Frame Size	286LPH
Mounting Orientation	Vertical
Mounting Position	F1
NEMA Design Code	B
Number of Phases	3
Number of Poles	2
Number of Poles (High)	2
Number of Speeds	single_speed
Order Multiple	1 piece
Output Power	25 Hp 30 Hp
Power Factor	90 %
Product Name	Vertical Shaft
Product Net Depth / Length	0 in
Product Net Height	0 in
Product Net Weight	293 lb
Product Net Width	0 in
Product Type	Undefined
Quote Only	No
Rated Current (I _n)	33.49 A 34 A
Rated Efficiency	91.7 %
Rated Speed	2949 r/min 3525 r/min
Selling Unit of Measure	piece
Service Factor	1.15
Standards	NEMA
Starting of Motor	Full Voltage
Stocked At (Warehouses)	Fort Smith Ar, United States Tlajomulco de Zuniga, Mexico 3000 r/min 3600 r/min
Temperature Class	T3
Type of Duty	Continuous
Voltage Rating	400 V 460 V

