

PRODUCT-DETAILS

1PC28322EB112TA3

No Description Available

General Information

Global Commercial Alias	1PC28322EB112TA3
Product ID	7B1PC28322EB112TA3
ABB Type Designation	MOTOR,25,1800,LP100,460,284LPH
Catalog Description	No Description Available

Additional Information

ABB Type Designation	MOTOR,25,1800,LP100,460,284LPH
Ambient Temperature	40 °C
Bearing	6312 Z C3 S0, Ball
Bearing NDE	7311 BG DB
Brake Present	No
Brand / Label	ABB NEMA Motors
Catalog Number	1PC28322EB112TA3
Country of Origin	Mexico (MX)
Customs Tariff Number	8501520400
Drive End Flange Type	P-Base
Efficiency Level	Premium Efficiency (NEMA 12-12)
Electrical Data	

Current

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

Enclosure Type	TEFC
Explosion Proof Group Class	Class I, Group A, B, C & D
Frame Material	Cast Iron
Frame Size	Undefined
Global Commercial Alias	1PC28322EB112TA3
Gross Volume	0.512 m ³



Freq

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Power

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Speed

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Voltage

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Gross Weight	315 lb
IP Class	IP55
Insulation Class	F
Made To Order	No
Minimum Order Quantity	1 piece
Motor Base Type	Footless
Motor Frame Size	284LPH
Mounting Orientation	Vertical
Mounting Position	F1
NEMA Design Code	B
Number of Phases	3
Number of Poles	4
Number of Poles (High)	4
Number of Speeds	single_speed
Order Multiple	1 piece
Output Power	20 Hp 25 Hp
Power Factor	84 %
Product Name	Vertical Shaft
Product Net Depth / Length	0 in
Product Net Height	0 in
Product Net Weight	301 lb
Product Net Width	0 in
Product Type	Undefined
Quote Only	No
Rated Current (I _n)	27.97 A 30 A
Rated Efficiency	93.6 %
Rated Speed	1480 r/min 1775 r/min
Selling Unit of Measure	piece
Service Factor	1.15
Standards	NEMA
Starting of Motor	Full Voltage
Stocked At (Warehouses)	Fort Smith Ar, United States Tlajomulco de Zuniga, Mexico
	1500 r/min 1800 r/min
Temperature Class	T3
Type of Duty	Continuous
Voltage Rating	400 V 460 V

