



 PRODUCT-DETAILS

CESSWDNM3555T-5

Washdown Motor 2 Hp 575 V (CESSWDNM3555T-5)



General Information

Global Commercial Alias	CESSWDNM3555T-5
Product ID	7BCESSWDNM3555T-5
ABB Type Designation	2HP,3475RPM,3PH,60HZ,145TC,3546M,TE
Catalog Description	Washdown Motor 2 Hp 575 V (CESSWDNM3555T-5)

Additional Information

ABB Type Designation	2HP,3475RPM,3PH,60HZ,145TC,3546M,TE
Ambient Temperature	40 °C
Bearing	6205, Sealed Bearing
Bearing NDE	6203
Brake Present	No
Brand / Label	Baldor-Reliance
Catalog Number	CESSWDNM3555T-5
Certification Agency	CSA CSA EEV NEMA_PREMIUM UR

Country of Origin	United States (US)
Customs Tariff Number	85015220
Drive End Flange Type	C-Face
Efficiency Level	IE3 Premium Efficiency (NEMA 12-12)

Electrical Data

Current	Freq	Power	Speed	Voltage
1.9 A	60 Hz	2 Hp	3475 r/min	575 V

Enclosure Type	TENV
Frame Material	Stainless_Steel
Frame Size	Undefined
Frequency (f)	60 Hz
Global Commercial Alias	CESSWDNM3555T-5
Gross Weight	61 lb
Insulation Class	H
Invoice Description	2HP,3475RPM,3PH,60HZ,145TC,3546M,TENV,F1
Made To Order	No
Medium Description	Stainless Washdown, 2 HP, 3600 RPM, Frame Size 143Tc, C-Face Mounting, 3 Phase, 575 V, 60 Hz (CESSWDNM3555T-5)
Minimum Order Quantity	1 piece
Motor Base Type	Foot Mounted
Motor Frame Size	143TC
Mounting Orientation	Horizontal
Mounting Position	F1
NEMA Design Code	A
Number of Phases	3
Number of Poles	2
Number of Poles (High)	2
Number of Speeds	single_speed
Order Multiple	1 piece
Output Power	2 Hp
Power Factor	89 %
Product Name	Stainless Washdown
Product Net Depth / Length	0 in
Product Net Height	0 in
Product Net Weight	61 lb
Product Net Width	0 in
Product Type	Undefined
Quote Only	No
Rated Current (I _n)	1.9 A
Rated Efficiency	88.50 %
Rated Speed	3475 r/min
Selling Unit of Measure	piece
Service Factor	1.15
Shaft Diameter	0.88 in
Short Description	2 HP, 3600 RPM, Frame Size 143Tc, C-Face, 3 PH, 575 V
Standards	NEMA
Starting of Motor	Direct on line
Stocked At (Warehouses)	China Alabama, United States Alaska, United States
	3600 r/min
Type of Duty	Continuous

Voltage Rating

575 V

Categories

Motors and Generators → NEMA Low Voltage AC Motors → Washdown Motors → Stainless Steel Washdown Motors

