




---

 PRODUCT-DETAILS

# EM7059T-I

## - 460 V (EM7059T-I)




---

**General Information**

Global Commercial Alias	EM7059T-I
Product ID	7BEM7059T-I
ABB Type Designation	15//20HP,2930//3530RPM,3PH,50//60HZ
Catalog Description	- 460 V (EM7059T-I)

---

**Ordering**

ABB Type Designation	15//20HP,2930//3530RPM,3PH,50//60HZ
Invoice Description	15.000 hp, 20.000 hp, 3530//2930 RPM, 3PH, 230/460//190/380 V, 60//50 Hz, XPFC, 256T, F1
Product Name	-
Made To Order	No
Minimum Order Quantity	0.000 piece
Order Multiple	0.000 piece
Selling Unit of Measure	piece
Country of Origin	United States (US)
Customs Tariff Number	85015220
Stocked At	Singapore, Singapore

(Warehouses)

China  
Alabama, United States  
Alaska, United States

---

**Electrical**

---

## Electrical Data

Current	Freq	Power	Speed	Voltage
44 A	60 Hz	20 Hp	3530 r/min	230 V
22 A	60 Hz	20 Hp	3530 r/min	460 V
40 A	50 Hz	15 Hp	2930 r/min	190 V
20 A	50 Hz	15 Hp	2930 r/min	380 V

Frequency (f)	50 Hz 60 Hz
Ambient Temperature	40 °C
Insulation Class	F
Type of Duty	CONT

---

**Mechanical**

---

Frame Material	Iron
Frame Size	Undefined
Bearing	6309
Bearing NDE	6208

---

**Dimensions**

---

Product Net Depth / Length	25.50 in
Product Net Weight	185.686 kg
Gross Weight	185.686 kg

---

**Classifications**

---

Standards	NEMA
UNSPSC	26101115

---

**Categories**

---

Motors and Generators → Motors and Generators for Explosive Atmospheres → Explosion Proof Motors → Drill Rig Duty, 1.15 SF Motors

