



 PRODUCT-DETAILS

JXM05222

Explosion Proof General Purpos 1.5 Hp 190 V (JXM05222)



General Information

Global Commercial Alias	JXM05222
Product ID	7BJXM05222
ABB Type Designation	2//1.5HP,3490//2890RPM,3PH,60//50HZ
Catalog Description	Explosion Proof General Purpos 1.5 Hp 190 V (JXM05222)

Ordering

ABB Type Designation	2//1.5HP,3490//2890RPM,3PH,60//50HZ
Invoice Description	2//1.5HP,3490//2890RPM,3PH,60//50HZ,56J
Product Name	Explosion Proof General Purpos
Product Type	Undefined
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	United States (US)
Customs Tariff Number	85015220
Stocked At	China

(Warehouses)	Alabama, United States Alaska, United States
Medium Description	Explosion Proof General Purpos, 2//1.5 HP, 3600//3000 RPM, Frame Size 56J, C-Face Mounting, 3 Phase, XPFC Enclosure, 230/460//190/38
Short Description	2//1.5 HP, 3600//3000 RPM, Frame Size 56J, C-Face, 3 PH, XPFC, 230/460//190/380 V

Electrical

Electrical Data

Current	Freq	Power	Speed	Voltage
4.6 A	50 Hz	1.5 Hp	3490 r/min	190 V
2.3 A	50 Hz	1.5 Hp	3490 r/min	380 V
5 A	60 Hz	2 Hp	3490 r/min	230 V
2.5 A	60 Hz	2 Hp	3490 r/min	460 V

Frequency (f)	50 Hz 60 Hz
Output Power	1.5 Hp 2 Hp
Ambient Temperature	40 °C
Insulation Class	F
Number of Poles (High)	2
Type of Duty	Continuous

Mechanical

Frame Material	Steel
Frame Size	56

Dimensions

Product Net Depth / Length	19.375 in
Product Net Height	13.123 in
Product Net Width	13.75 in
Product Net Weight	55 lb
Gross Weight	55 lb

Classifications

Standards	NEMA
-----------	------

Categories

Motors and Generators → Motors and Generators for Explosive Atmospheres → Explosion Proof Motors → Explosion Proof General Purpose Motors

