



 PRODUCT-DETAILS

VSSEFWDM3542

460 V (VSSEFWDM3542)

"No longer for sale" replaced by



General Information

Global Commercial Alias	VSSEFWDM3542
Product ID	7BVSSEFWDM3542
ABB Type Designation	.75HP,1760RPM,3PH,60HZ,56C,3522M,TE
Catalog Description	460 V (VSSEFWDM3542)

Additional Information

ABB Type Designation	.75HP,1760RPM,3PH,60HZ,56C,3522M,TE
Ambient Temperature	40 °C
Brake Present	No
Brand / Label	Baldor-Reliance
Catalog Number	VSSEFWDM3542
Certification Agency	CSA CSA EEV UR
Country of Origin	United States (US)
Customs Tariff Number	85015100
Design	B

Dimension Diagram	35LYZ182
ETIM 7	EC001851 - Electric motor
Efficiency Level	2015 Small Motor Standard Not Regulated / Exempt Undefined Efficiency
Enclosure Type	TEFC
Explosion Proof Group Class	NONE
Frame Material	Stainless Steel
Frame Size	Undefined
Frequency (f)	60 Hz
Global Commercial Alias	VSSEFWDM3542
Gross Volume	3298.281 in ³
Gross Weight	54 lb
Horsepower Rating UL/CSA	0.750 Hp
IDEA Granular Category Code (IGCC)	1325 >> General purpose motor AC
Invoice Description	.75HP,1760RPM,3PH,60HZ,56C,3522M,TEFC,F1
Made To Order	No
Minimum Order Quantity	1 piece
Motor Base Type	No Mounting
Motor Frame Size	56C
NEMA Design Code	B
Number of Phases	3
Number of Poles	4
Number of Speeds	Single Speed
Order Multiple	1 piece
Power Factor	65 %
Product Name	LV Washdown Duty Motors
Product Net Depth / Length	19 in
Product Net Height	12.625 in
Product Net Weight	54 lb
Product Net Width	13.75 in
Product Type	Undefined
Quote Only	No
Rated Current (I _n)	2.6 A 1.3 A
Rated Efficiency	84.0 %
Rated Speed	1,760 r/min
Replacement Product ID (NEW)	7BVFDFWDM3542-E
Selling Unit of Measure	piece
Service Factor	1.15
Service Factor Percentage	1.15 %
Shaft Diameter	0.625 in
Standards	NEMA
Starting of Motor	Direct On Line
UNSPSC	26101112
Voltage Rating	460 V 230 V

Categories

Motors and Generators → NEMA Low Voltage AC Motors → Washdown Motors → Stainless Steel Washdown Motors

