




---

 PRODUCT-DETAILS

# FPT4-1TL21-2C

## 4IN POKE-THRU BASE - 20A 125V TL




---

**General Information**

Extended Product Type	FPT4-1TL21-2C
Product ID	7TAA003440R0000
Catalog Description	4IN POKE-THRU BASE - 20A 125V TL
Long Description	Poke Through Base Unit, Length 19-3/4 Inches, Diameter 7-1/2 Inches, Hub Size 1/2 Inch, Galvanized Steel, 20A/125V Locking Receptacle, 2 Communications Receptacles

---

**Ordering**

UPC	785991042832
Country of Origin	United States (US)
Selling Unit of Measure	each

---

**Container Information**

Package Level 1 Units	1 EA
Package Level 1 Width	206.502 mm 8.13 in
Package Level 1 Height	139.7 mm

	5.5 in
Package Level 1 Depth / Length	543.052 mm 21.38 in

**Additional Information**

Application	For above-grade, fire rated concrete floors.
Brand / Label	Steel City
Effective Date	20070219
Material	Die Cast Zinc/Galvanized Steel
Product Name	Other
Product Type	Poke Through Systems
Special Functions	Four modular configurations for power receptacles and communications jacks mounted flush with the floor
Standards	UL E2969

**Certificates and Declarations**

Data Sheet, Technical Information	FPT4-1TL21-2C
-----------------------------------	---------------

**Classifications**

ETIM 6	EC000024 - Installation box for underfloor-installation
ETIM 7	EC000024 - Installation box for underfloor-installation
ETIM 8	EC000024 - Installation box for underfloor-installation
UNSPSC	39121328
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4482 >> Fire rated poke through box

**Categories**

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Electrical Boxes

