



 PRODUCT-DETAILS

9C33U1/C75

30A,CON,2P3W,DG,U1,125V,3/4 INCHNPT



General Information

Extended Product Type	9C33U1/C75
Product ID	7TAA057980R0283
Catalog Description	30A,CON,2P3W,DG,U1,125V,3/4 INCHNPT
Long Description	Connector, Voltage 125VAC, Amperage 30A, 2 Pole 3 Wire, Conduit Adapter Size 3/4 Inch

Ordering

UPC	708917133629
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 EA
Package Level 1 Width	63.5 mm 2.5 in
Package Level 1 Height	63.5 mm

	2.5 in
Package Level 1 Depth / Length	190.5 mm
	7.5 in

Additional Information

Brand / Label	Russellstoll
Current Rating	30 A
Effective Date	19960411
Number of Conductors	3
Number of Poles	2
Product Name	Cylindrical multicontact connectors
Voltage Rating	125 VA °C

Certificates and Declarations

Data Sheet, Technical Information	9C33U1/C75
-----------------------------------	------------

Classifications

ETIM 6	EC001322 - Round socket/plug for high currents
ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121404
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4528 >> Electrical sleeves

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

