



## PRODUCT-DETAILS

**HTFX230008****8.3KV 8A FX FULL-RANGE FUSE****General Information**

Extended Product Type	HTFX230008
Product ID	7TAA120420R0002
Catalog Description	8.3KV 8A FX FULL-RANGE FUSE
Long Description	8.3kV 8 Amp FX Style Full Range Current-Limiting Backup Fuse

**Ordering**

UPC	783786510542
Country of Origin	United States (US)
Selling Unit of Measure	each

**Container Information**

Package Level 1 Units	1 EA
Package Level 1 Width	0 mm 0 in
Package Level 1 Height	0 mm 0 in

Package Level 1 Depth / Length	0 mm 0 in
Package Level 2 Units	12 EA
Package Level 2 Width	330.2 mm 13 in
Package Level 2 Height	254 mm 10 in
Package Level 2 Depth / Length	457.2 mm 18 in

### Technical UL/CSA

Short-Circuit Current Rating (SCCR)	50,000 A
-------------------------------------	----------

### Additional Information

Application	Installed in Drywall Canisters for Distribution Transformer Protection, Clip Mounted in Live-Front Switchgear, Externally mounted on Overhead distribution systems, Installed in Elastimold MCAN Rubber Molded Canister for Deadfront/Submersible applications, Installed directly in Oil.
Brand / Label	Hi-Tech
Current Rating	8 A
Effective Date	20061214
Material	Tin-Plated Brass Caps, Resin-Rich Filament Wound Glass/Epoxy Body
Mounting Type	Clip Mount
Product Name	In circuits of 2,300 V or more
Product Type	Full-Range Current-Limiting Fuse
Size	Diameter 2.25-2.18 in, Overall Length 10.00-9.90 in
Special Functions	No Indicator
Standards	ANSI/IEEE Standards.
Voltage Rating	8.3 kV

### Certificates and Declarations

Data Sheet, Technical Information	HTFX230008
-----------------------------------	------------

### Classifications

ETIM 7	EC003507 - Medium-/high voltage fuse
ETIM 8	EC003507 - Medium-/high voltage fuse
UNSPSC	39121626
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4980 >> Medium voltage fuse

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Cable Accessories

