



 PRODUCT-DETAILS

162LR-C5260-SG3

15 LB ELB 3/0STRN 4/0 SLD .805-1.06



General Information

Extended Product Type	162LR-C5260-SG3
Product ID	7TAA121100R0212
Catalog Description	15 LB ELB 3/0STRN 4/0 SLD .805-1.06
Long Description	200 Amp, 15kV, Loadbreak Elbow Connector, Cable Insulation Diameter 0.805 inch to 1.060 inch. Bi-Metal Compression Lug. Conductor Size AWG Compressed Stranded 3/0 /Solid 4/0 /mmSquared 85.01. 200ECS-G3 Jacket Seal and Grounding Kit Included.

Ordering

UPC	75114188050
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 EA
Package Level 1 Width	485.648 mm 19.12 in

Package Level 1 Height	317.5 mm 12.5 in
Package Level 1 Depth / Length	266.7 mm 10.5 in

Additional Information

Application	15kV, 200 Amp
Brand / Label	Elastimold
Color	Black
Connection Type	Push-In
Current Rating	200 A
Effective Date	20141025
Environmental Conditions	All Weatheronditions °C
Includes	1 Elbow Connector Housing, 1 Compression Lug, 1 Probe, 1 Probe Wrench, 1 Tube of Lubricant, 1 Crimp Chart, V.D. Cap-Peroxide, 1 Installation Instructions sheet.
Insulation Material	Yes, EPDM Rubber
Material	Housing - EPDM Rubber
Product Name	Terminals, electrical splices and electrcal couplings
Product Type	Loadbreak Elbow Connector with Test Point
Size	7.76 inch (197.1 mm) X 9.03 inch (229.4 mm), 2.92 inch (74.2 mm) Diameter
Special Functions	15kV, 200 Amp Loadbreak Elbow. Fully shielded, fully submersible molded rubber housing. 100 percent peroxide-cured construction includes insulation and conductive EPDM materials. Provision for hot stick operation. Provision for ground wire connection. Wide cable range with minimum number of sizes. Long bi-metal compression lug is standard. Non-corrosive capacitive test point.
Standards	ANSI/IEEE Standard 386
Temperature Range	-40 to +65 °C
Voltage Rating	15 kV

Certificates and Declarations

Data Sheet, Technical Information	9AKK107045A2438
-----------------------------------	-----------------

Classifications

UNSPSC	39121421
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Cable Accessories

