



PRODUCT-DETAILS

MVI1-21-27-22-PS

INTERRUPTER, VAC 27KV 1 PH -22 W/PS



General Information

Extended Product Type	MVI1-21-27-22-PS
Product ID	7TAA125220R0011
Catalog Description	INTERRUPTER, VAC 27KV 1 PH -22 W/PS
Long Description	Molded Vacuum Interrupter, Single-Phase, 27kV, 200 Amp Termination, with Parking Stand

Ordering

UPC	783786262618
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions

Product Net Depth / Length	30-5/8 in 778 mm
----------------------------	---------------------

Container Information

Package Level 1 Units	1 EA
Package Level 1 Width	0.025 mm 0.001 in
Package Level 1 Height	0.025 mm 0.001 in
Package Level 1 Depth / Length	0.025 mm 0.001 in

Additional Information

Application	Make, Carry and Automatically Interrupt Currents
Brand / Label	Elastimold
Current Rating	200 A
Effective Date	20001127
Material	EPDM Rubber Insulation
Number of Phases	Single Phase
Process Temperature Rating	-40 to +65 °C
Product Name	Lightning arresters, voltage limiters and surge suppressors
Product Type	Molded Vacuum Interrupter - Single Phase
Special Functions	EPDM Molded Rubber Insulation. Field Programmable with a Wide Range of Time-Circuit Characteristic (TCC) Curves and Trip Settings. Control Monitors the Circuit Condition.
Standards	ANSI C37.60, IEEE 386, ANSI C57.12.28
Voltage Rating	27 kV

Certificates and Declarations

Data Sheet, Technical Information	MVI1-21-27-22-PS
-----------------------------------	------------------

Classifications

UNSPSC	39121639
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4994 >> Vacuum interruptor

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Underground Apparatus

