



## PRODUCT-DETAILS

**3021C0551G17D**

I/L, 72.5KV MAX. MODEL VBM

Product image  
not available**General Information**

Extended Product Type	3021C0551G17D
Product ID	7TAA200340R0001
Catalog Description	I/L, 72.5KV MAX. MODEL VBM
Long Description	VBM 48.3 kV Max, 1 Phase, 300 Amp, Recloser 48V and Up Operator, 7A and 7B Aux Contacts, 35 Pins/Plugs, Nom. Cap Amps 225, Term-Term BIL withstand 250, Term-Ground BIL withstand 250, 4-Skirt Contact Housing (Creepage 18.095 inch). 3 Vacuum Contacts.

**Ordering**

UPC	783786599097
Country of Origin	United States (US)
Selling Unit of Measure	each

**Container Information**

Package Level 1 Units	1 EA
Package Level 1 Width	0 mm

	0 in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 2 Units	1 EA
Package Level 2 Width	25.4 mm 1 in
Package Level 2 Height	25.4 mm 1 in
Package Level 2 Depth / Length	25.4 mm 1 in
Package Level 3 Units	1 EA
Package Level 3 Width	0.254 mm 0.01 in
Package Level 3 Height	0.254 mm 0.01 in
Package Level 3 Depth / Length	25.4 mm 1 in

---

### Additional Information

Effective Date	20080222
Product Name	Other

---

### Certificates and Declarations

Data Sheet, Technical Information	3021C0551G17D
-----------------------------------	---------------

---

### Classifications

UNSPSC	39121570
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4783 >> Recloser

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Overhead Apparatus



Product image  
not available