



 PRODUCT-DETAILS

EA3WNEXRF

ALUM PICTO SIGN NEXUS WIRELESS



General Information

Extended Product Type	EA3WNEXRF
Product ID	7TBA127140R0025
Catalog Description	ALUM PICTO SIGN NEXUS WIRELESS
Long Description	Pictogram Exit Sign, universal face, universal mount, Housing Colour: factory white, Battery Type: nickel-cadmium, 120/347VAC, self-powered, NEXUS wireless system interface, Battery Run Time (Minimum): 120 minutes

Additional Information

Product Main Type	Emergency Lighting
Application	Commercial
Product Type	Pictogram Exit Sign

Ordering

UPC	782683448330
-----	--------------

Dimensions

Product Net Height	7-3/4 in
Product Net Depth / Length	14-1/8 in
Product Net Width	4-3/4 in
Product Net Weight	4.500405 lb 2.041 kg

Technical

Mounting Type	Universal
Legend	On
Number of Batteries	1
Battery Chemical Composition	Nickel-Cadmium
Battery Weight	0.15 lb
Housing Color	Factory White
Material	Aluminum / Polycarbonate
Voltage Rating	120/347 V AC
Size	7-3/4 Inches Height x 13-1/8 Inches Width

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	1 EA
Package Level 1 EAN	0782683448330
Package Level 1 Height	238.76 mm 9.4 in
Package Level 1 Depth / Length	337.82 mm 13.3 in
Package Level 1 Width	96.52 mm 3.8 in
Package Level 1 Gross Weight	6 lb

Certificates and Declarations

Data Sheet, Technical Information	9AKK108469A2484
Instructions and Manuals	9AKK108469A2325
Declaration of Conformity - CE	No declaration needed
REACH Declaration	No declaration needed

Classifications

UNSPSC	39111708
--------	----------

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

