RSM18-210LA 1/3



PRODUCT-DETAILS

RSM18-210LA6V STEEL EM RCSD UNIT C/W 4W-LED



Extended Dreduct Type	RSM18-210LA
Extended Product Type	
Product ID	7TBA127740R0405
Catalog Description	6V STEEL EM RCSD UNIT C/W 4W-LED
Long Description	Colour: factory white, Powerpack of 6V-18W, lead-calcium, two heads, Head Style: ELF3 (MR16, Plastic), MR16 LED, 6V-4W, Battery Unit, Voltage DC: 6V, 120/277VAC, self-powered, two lamps, Battery Run Time (Minimum): 90 minutes
	powered, two lamps, Battery Run Time (Himming), 30 Himates
Additional Informatio	
Additional Informatio	
	n

RSM18-210LA 2/3

Dimensions	
Product Net Height	7-1/4 ir
Product Net Depth / Length	10-7/8 ir
Product Net Width	3-3/4 iı
Product Net Weight	9 lk
 Technical	
Number of Batteries	1
Battery Chemical Composition	Lead-Calcium
Battery Weight	3 lb
Environmental	
	Product Not in WEEE Scope
Container Information	1.50
Package Level 1 Units Package Level 1 EAN	1 EA 0782683468499
Package Level 1 Height	0.254 mm 0.01 ir
Package Level 1 Depth / Length	0.01 ii 0.254 mm 0.01 ir
Package Level 1 Width	0.254 mm 0.01 ir
Package Level 1 Gross Weight	9 lb
Certificates and Declarations	
Data Sheet, Technical Information	9AKK107992A6552
Instructions and Manuals	9AKK107992A6553

Conformity - CE REACH Declaration

UNSPSC

Classifications

No declaration needed

39111709

RSM18-210LA 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Emergency\ Lighting$

