RSM18-2150LA-AD 1/3



PRODUCT-DETAILS

RSM18-2150LA-AD6V STEEL EM RCSD DECO UNIT C/W AD



General Information	
Extended Product Type	RSM18-2150LA-AD
Product ID	7TBA127740R0464
Catalog Description	6V STEEL EM RCSD DECO UNIT C/W AD
Long Description	Colour: factory white, Powerpack of 6V-18W, lead-calcium, two heads, Head Style: EF150 deco heads, MR16 LED, 6V-4W, diagnostics, audible, Battery Unit, Voltage DC:
	6V, 120/277VAC, self-powered, two lamps, Battery Run Time (Minimum): 90 minutes
Additional Information	6V, 120/277VAC, self-powered, two lamps, Battery Run Time (Minimum): 90 minutes
	6V, 120/277VAC, self-powered, two lamps, Battery Run Time (Minimum): 90 minutes Emergency Lighting
Additional Information Product Main Type	

RSM18-2150LA-AD 2/3

Dimensions	
Product Net Height	7-1/4 ir
Product Net Depth / Length	10-7/8 ir
Product Net Width	3-3/4 ir
Product Net Weight	8.9 lk

echnical	
Number of Batteries	1
Battery Chemical Composition	Lead-Calcium
Battery Weight	3 lb

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 EA
Package Level 1 EAN	0782683558985
Package Level 1 Height	0.254 mm 0.01 in
Package Level 1 Depth / Length	0.254 mm 0.01 in
Package Level 1 Width	0.254 mm 0.01 in
Package Level 1 Gross Weight	9 lb

Certificates and Declarations	
Data Sheet, Technical Information	9AKK107992A6552
Instructions and Manuals	9AKK107992A6553
Declaration of Conformity - CE	No declaration needed
REACH Declaration	No declaration needed

Classifications	
UNSPSC	39111709

RSM18-2150LA-AD 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Emergency\ Lighting$

