CHSPLDBF21 1/3



PRODUCT-DETAILS

CHSPLDBF21

C.C. DCST EM EDGLT WHT-LED SPWRD



| Extended Product Type | CHSPLDBF21 |
|-----------------------|---|
| Product ID | 7TBA133035R0011 |
| Catalog Description | C.C. DCST EM EDGLT WHT-LED SPWRD |
| Long Description | Exit Sign, Battery Type: nickel-cadmium, 120/277VAC, Unit Type: city of Chicago approved, self-powered, Colour: black, Legend Colour: red, Panel Colour: white, Trim Option: flat, double face, EXIT, arrow left & arrow right, one arrow on each side, Battery |
| | Run Time (Minimum): 120 minutes |
| Additional Informatio | |
| Additional Informatio | |
| Additional Informatio | |
| | n |
| | n |

CHSPLDBF21 2/3

Environmental

WEEE Category Product Not in WEEE Scope

| C- | n+- | nor | Infa | rm | atio | _ |
|-----|------|-----|------|----|------|---|
| L.O | ntai | ner | INTO | rm | atio | n |

| Package Level 1 Units | 1 EA |
|--------------------------------|----------------------|
| Package Level 1 Height | 134.62 mm 5.3 in |
| Package Level 1 Depth / Length | 490.22 mm 19.3 in |
| Package Level 1 Width | 241.3 mm 9.5 in |

Certificates and Declarations

Declaration of No declaration needed Conformity - CE

Classifications

UNSPSC 39111708

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Emergency\ Lighting$









CHSPLDBF21 3/3

