




---

 PRODUCT-DETAILS

## 2V12G2/LD9-M-D-CW4

### EM NEMA 4X UNIT 12V LED CW4




---

**General Information**

Extended Product Type	2V12G2/LD9-M-D-CW4
Product ID	7TBA133710R0142
Catalog Description	EM NEMA 4X UNIT 12V LED CW4
Long Description	Battery Unit, Battery Type: lead-calcium, Battery Wattage: 36W, Voltage DC: 12V, 120/277VAC, two lamps, self-powered, Lamp Type: MR16 LED, Lamp Voltage: 12V, Lamp Wattage: 5W, Colour: white, diagnostics, non-audible, cold weather -40°F to 104°F (-40°C to +40°C), Spec Grade: industrial, non audible, Battery Run Time (Minimum): 90 minutes

---

**Additional Information**

Product Main Type	Emergency Lighting
Application	Industrial
Product Type	Battery Unit

---

**Ordering**

UPC	784170119990
-----	--------------

## Dimensions

Product Net Height	7 in
Product Net Depth / Length	17-3/4 in
Product Net Width	5-3/4 in
Product Net Weight	14.99 lb

## Technical

Mounting Type	Wall
Lamp Type	MR16 LED
Number of Lamps	2
Number of Batteries	2
Battery Chemical Composition	Lead-Calcium
Battery Weight	3 lb
Color	White
Material	Backplate: Die-cast aluminum with internal thermoplastic housing
	36 W
Power Watt	5 W
Voltage Rating	120/277 V AC 12 V DC
Size	7 Inches Height x 17-3/4 Inches Width x 5-3/4 Inches Depth

## Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

## Container Information

Package Level 1 Units	1 EA
Package Level 1 EAN	0784170119990
Package Level 1 Height	165.1 mm 6.5 in
Package Level 1 Depth / Length	482.6 mm 19 in
Package Level 1 Width	190.5 mm 7.5 in
Package Level 1 Gross Weight	15 lb

## Certificates and Declarations

Data Sheet, Technical Information	9AKK108466A3028
Instructions and Manuals	9AKK108469A2597
Declaration of Conformity - CE	No declaration needed
REACH Declaration	No declaration needed

---

## Classifications

---

UNSPSC

39111709

---

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

