



PRODUCT-DETAILS

# RG24144QB2LD14

## 24V STEEL QBIC EM UNIT C/W 6W LED



### General Information

Extended Product Type	RG24144QB2LD14
Product ID	7TBA133800R0023
Catalog Description	24V STEEL QBIC EM UNIT C/W 6W LED
Long Description	Battery Unit, Battery Type: lead-calcium, Voltage DC: 24V, Battery Wattage: 144W, 120/347VAC, self-powered, two lamps, Lamp Type: MR16 LED, Lamp Voltage: 24V, Lamp Wattage: 6W, Head Style: shielded, Battery Run Time (Minimum): 30 minutes

### Additional Information

Product Main Type	Emergency Lighting
Application	Commercial, Industrial
Product Type	Battery Unit

### Ordering

UPC	624616369179
-----	--------------

## Dimensions

Product Net Height	4-1/2 in
Product Net Depth / Length	30-3/4 in
Product Net Width	4-3/4 in
Product Net Weight	23 lb

## Technical

Mounting Type	Wall or ceiling
Lamp Type	MR16 LED
Number of Lamps	2
Number of Batteries	4
Battery Chemical Composition	Lead-Calcium
Battery Weight	3 lb
Color	White
Material	Cabinet: Steel, Light cubes: Thermoplastic
	144 W
Power Watt	6 W
Voltage Rating	120/347 V AC 24 V DC
Size	4-3/4 Inches Height x 30-3/4 Inches Width

## Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

## Container Information

Package Level 1 Units	1 EA
Package Level 1 EAN	0624616369179
Package Level 1 Height	134.62 mm 5.3 in
Package Level 1 Depth / Length	863.6 mm 34 in
Package Level 1 Width	134.62 mm 5.3 in
Package Level 1 Gross Weight	23 lb

## Certificates and Declarations

Data Sheet, Technical Information	9AKK108466A3939
Instructions and Manuals	9AKK108469A2588
Declaration of Conformity - CE	No declaration needed
REACH Declaration	No declaration needed

## Classifications

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

