12H50-2LD7-ULT13W 1/3



PRODUCT-DETAILS

## 12H50-2LD7-ULT13W 12V PLSTC EM LED COMBO UNIT



<b>General Information</b>	
Extended Product Type	12H50-2LD7-ULT13W
Product ID	7TBA134200R0006
Catalog Description	12V PLSTC EM LED COMBO UNIT
Long Description	Thermoplastic combination emergency light unit and Exit sign 12V-50W LED two heads MR16 LED 12V-4W single face ceiling or wall mount 120/347VAC factory white red legend

	Additional Information
Emergency Lighting	Product Main Type
Battery unit and Exit sign combo	Product Type
	Ordering
	<b>Ordering</b> UPC

12H50-2LD7-ULT13W 2/3

Dimensions	
Product Net Height	12-3/8 in
Product Net Depth / Length	17 in
Product Net Width	4-7/8 in
Product Net Weight	8.47 lb

Ceiling or wall mount
Red
MR16 LED
2
170 lm
0
Factory white
50 W
4 W
120/347 V AC

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 EA
Package Level 1 EAN	0624050060205
Package Level 1 Height	292.1 mm
	11.5 in
Package Level 1 Depth /	462.28 mm
Length	18.2 in
Package Level 1 Width	91.44 mm
	3.6 in
Package Level 1 Gross	8.48 lb
Weight	

Certificates and Declarations  Data Sheet, Technical 12H50-2LD7-ULT13W	
Information	12H3U-2LD1-UL113W
Instructions and Manuals	12H50-2LD7-ULT13W
Declaration of Conformity - CE	No declaration needed

Classifications	
UNSPSC	39111707

12H50-2LD7-ULT13W 3/3

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Emergency\ Lighting$ 

