

PRODUCT-DETAILS

TCF200-186AL TRAY & CORD 2 INCH AL 1.52-1.86



| General Information | |
|-----------------------------|---|
| Extended Product Type | TCF200-186AL |
| Product ID | 7TBD105320R0008 |
| EAN | 5415022460711 |
| Catalog Description | TRAY & CORD 2 INCH AL 1.52-1.86 |
| Long Description | Tray/Cord Fitting, Hub Size NPT 2 Inch, Cable Diameter 1.520 to 1.860 Inch, Throat Diameter 1.896 Inch, Aluminum |
| | |
| Additional Information | |
| Additional Information | Tray/Cord Fitting is The Safe and Cost Effective Choice for Increased Safety When Terminating Portable Cord and Try Cable In Hazardous Locations. |
| | Safety When Terminating Portable Cord and Try Cable In Hazardous |
| Application | Safety When Terminating Portable Cord and Try Cable In Hazardous Locations. |
| Application Product Type | Safety When Terminating Portable Cord and Try Cable In Hazardous Locations. |

© 2024 ABB. All rights reserved.

2024/10/26

Subject to change without notice

| Technical | | |
|---------------------|----------|--|
| Number of Batteries | C | |
| Color | Metallic | |
| Material | Aluminum | |
| Size | 2 Inch | |

Environmental

WEEE Category

Product Not in WEEE Scope

| Container Information | | |
|-----------------------------------|---------------------|--|
| Package Level 1 Units | 2 EA | |
| Package Level 1 Height | 106.68 mm 4.2 in | |
| Package Level 1 Depth / Length | 195.58 mm 7.7 in | |
| Package Level 1 Width | 175.26 mm 6.9 in | |

| Certificates and Declarations | |
|--------------------------------------|--------------|
| Data Sheet, Technical Information | TDS000045 |
| Instructions and Manuals | TCF200-186AL |
| | |
| Classifications | |

| Classifications | |
|-----------------|--|
| ETIM 8 | EC001180 - Screw connection for protective metallic hose |
| UNSPSC | 39121431 |

Categories

Low Voltage Products and Systems \rightarrow Installation Products \rightarrow Cable Protection, Explosion Proof and Lighting \rightarrow Flexible Cable Protection Systems







